

SECTION 1: SHOWER COMPONENTS

INDEX

Product	Page
Elite and Designer Hinges	1.1 - 1.2
Sliding Shower Doorkit	1.3
Handles	1.4 - 1.5
Knobs and Overpanel Clamps	1.6
Glass Shelves	1.7
Channels and End Caps	1.8
P.V.C. Shower Seals	1.9
Support Headers	1.10
Indicator Locks For Pivot Doors	1.11
Indicator Locks For Sliding Doors	1.12
Shelf Clamps and Brackets	1.13
Product Setout Details	
Elite Hinge Cutout Details	1.14
Designer Hinge Cutout Details	1.15
Handle Setout Details	1.16
Typical Hinged Shower Setout Details	1.17 - 1.23
Typical Sliding Shower Setout Details	1.24 - 1.29







Lead time and pricing available from customer services between 8am - 5pm on 0800 545 800



SHOWER COMPONENTS

Elite Hinges

Specify 8mm or 10mm glass thickness


Product	Code	Description	Polished Chrome	Satin Chrome	Matt Black Powdercoat	Black Chrome
	MF1	Wall Fix Hinge Standard mounting plate				
	MF1-L	Wall Fix Hinge Single sided mounting plate 37mm wide back plate 4 screw wall fixing				
	MF1-L3	Wall Fix Hinge Single sided mounting plate 50mm wide back plate 3 screw wall fixing				
	MF1-XL	Wall Fix Hinge Single sided mounting plate 62mm wide back plate 4 screw wall fixing				
	MF1-90	Wall Fix Hinge 90° mounting plate				
	MF2	Glass to Glass Fix Hinge				

For Glass Cutout and Hinge Details refer page 1.14 to 1.15

For Typical Shower Setout Details refer pages 1.17 to 1.23




Ensure all areas of side panel and door where hinges will clamp the glass are clean before installation.
Use IPA or Methylated Spirits for cleaning if needed.

Lead time and pricing available from customer services between 8am - 5pm on 0800 545 800



SHOWER COMPONENTS


Elite Hinges

Product	Code	Description	Polished Chrome	Satin Chrome	Matt Black Powdercoat	Black Chrome
	MF2-90	Glass to Glass Fix Hinge 90° Angle				
	MF2-BF	Glass to Glass Bifold Hinge 180° Angle				
	MF2-135	Glass to Glass Fix Hinge 135° angle				
	MF2-SP	Glass to Glass Fix Hinge Custom angles from 125° to 180°				

Designer Hinges

Product	Code	Description	Polished Chrome
	MF2DL	Glass to Glass Fix Hinge for left hung doors. Suitable for 8mm glass only. Max door weight 40kg.	(Pair)
	MF2DR	Glass to Glass Fix Hinge for right hung doors. Suitable for 8mm glass only. Max door weight 40kg.	(Pair)

Lead time and pricing available from customer services between 8am - 5pm on 0800 545 800



SHOWER COMPONENTS




Ozone Sliding Shower Doorkit

Suits 8mm or 10mm glass thickness.

For doors up to 45kg in weight.

Each set contains: Track, Track fixing bracket, Hangers, Anti jump buttons, Side Panel fixing brackets, wheels, Stops & Guide.

Finish Bright Polished Stainless Steel.

Product	Code	Description	Price
	OTR-2000	Glass to Wall Fixing Set For showers up to 2000mm OA Width See page 1.25 for Typical Setout Detail	
	OTR-2000	Wall to Wall Fixing Set For showers up to 2000mm OA Width See page 1.27 for Typical Setout Detail	
	OTR-2000	Glass to Glass Fixing Set For showers up to 2000mm OA Width See page 1.29 for Typical Setout Detail	
	OTR-2000B	Additional button supports for OTR-2000 Shower	






Kits are sent out with all components to make any configuration above. Excluding channel and handle.
For Typical Shower Setout Details refer pages 1.24 to 1.29

Lead time and pricing available from customer services between 8am - 5pm on 0800 545 800



SHOWER COMPONENTS

Glasstech Stainless Steel Handles

Product	Code	Description	PSS	SSS	Matt Black Powdercoat	Black Chrome
	G.T-250	D Pull Handle 25mm diameter Stainless Steel 250mm hole centres 12mm hole diameter				
	G.T-FR150	Fineline Round Pull Handle 19mm diameter Stainless Steel 250mm long x 150mm hole centres 10mm hole diameter				
	G.T-FR250	Fineline Round Pull Handle 25mm diameter Stainless Steel 350mm long x 250mm hole centres 10mm hole diameter				
	G.T-FS150	Fineline Square Pull Handle 19mm x 19mm Square Section Stainless Steel 250mm long x 150mm hole centres 10mm hole diameter				
	G.T-FS250	Fineline Square Pull Handle 19mm x 19mm Square Section Stainless Steel 350mm long x 250mm hole centres 10mm hole diameter				
	G.T-RA250	Rectangular Pull Handle 20mm x 40mm Rectangle Section Stainless Steel 270mm long x 250mm hole centres 10mm hole diameter				
	G.T-Q250	Rectangular Pull Handle 10mm x 20mm Rectangle Section Stainless Steel 270mm long x 250mm hole centres 10mm hole diameter				

For Typical Setout Details refer pages 1.16

PSS - Polished Stainless Steel


SSS - Satin Stainless Steel

Lead time and pricing available from customer services between 8am - 5pm on 0800 545 800





SHOWER COMPONENTS

Handles

Product	Code	Description	PSS	SSS
	MD250	Delta Double Pull Handle Set 250mm hole centres 12mm diameter holes		

For Typical Setout Details refer page 1.16

Forged Stainless Steel Handles

Product	Code	Description	PSS	SSS
	CURVE 210	Curve Handle 235mm long. 210mm hole centres 12mm diameter holes		
	WAVE 210	Wave Handle 235mm long. 210mm hole centres 12mm diameter holes		

PSS - Polished Stainless Steel

SSS - Satin Stainless Steel






*Powder coat colour as per standard range as stated on page 1.8 of this price list.

Lead time and pricing available from customer services between 8am - 5pm on 0800 545 800



SHOWER COMPONENTS


Plated Brass Knobs & Components

Product	Code	Description	Polished Chrome	Satin Chrome	PSS	SSS
	MK25	Pull Knob Set 25mm diameter Use MW 30 washer for chrome/gold				
	MK38	Pull Knob Set 38mm diameter Use MW 43 washer for chrome/gold				
	MK60	Pull Knob Set 38mm diameter Use MW 30 washer for chrome/gold				
	MKS25	Pull Knob Set Square 25x25mm Square				
	MW 30	Highlight Washer 30mm/37mm/43mm diameter				
	MW 37					
	MW 43					

PSS - Polished Stainless Steel



SSS - Satin Stainless Steel

Square Pull Handles

Product	Code	Description	Polished Chrome	Satin Chrome	Matt Black Powdercoat	Black Chrome
	MK70	Square Double Pull Handle 70 x 50 x 24mm				

For cut out details refer pages 1.15 and 1.16

Over Panel Clamp

Product	Code	Description	Polished Chrome	Matt Black
	H05598	Shower Overpanel Clamp - Round To suit 10mm shower to 6mm overpanel Chrome plate. 20mm diameter round profile.		
	H05598S	Shower Overpanel Clamp - Square To suit 10mm shower to 6mm overpanel Chrome plate. 20mm x 20mm square profile.		





*Powder coat colour as per standard range as stated on page 1.8 of this price list.

Lead time and pricing available from customer services between 8am - 5pm on 0800 545 800




SHOWER COMPONENTS

Glass Shelves

Product	Code	Description	Price
	GS200SD	Corner Shelf with Soap Dish 200 x 200 x 10mm Low Iron Toughened Glass	
	GS250SD	Corner Shelf with Soap Dish 250 x 250 x 10mm Low Iron Toughened Glass	
	GS200	Corner Shelf 200 x 200 x 10mm Clear Toughened Glass	
	GS200/S	Corner Shelf 200 x 200 x 10mm Low Iron Toughened Glass	
	GS250	Corner Shelf 250 x 250 x 10mm Clear Toughened Glass	
	GS250/S	Corner Shelf 250 x 250 x 10mm Low Iron Toughened Glass	
	GSA200	Angled Corner Shelf 200 x 200 x 10mm Clear Toughened Glass	
	GSA250	Angled Corner Shelf 250 x 250 x 10mm Clear Toughened Glass	












Lead time and pricing available from customer services between 8am - 5pm on 0800 545 800



SHOWER COMPONENTS

Channels and End Caps

All prices per metre

Product	Code	Description	Bright Silver Anodised	Natural Silver Anodised	Powder Coat*
	CS18	Channel Section 19 x 18 Stock lengths 2100mm and 3000mm Cut lengths			
	CS17	Channel Section 25 x 17 2.4mm wall thickness for increased strength and reduced bowing. Raised lip hides tape/silicone and prevents silicone leakage. Stock length 2500mm.			
	CS15	Channel Section 18 x 15 Stock length 3000mm Cut lengths			
	AS18	Angle Section 19 x 15 Stock length 2500mm Cut lengths			
	AS6	Angle Section 6 x 18 Water Bar Stock length 1400mm Cut lengths			
	HR1	Half Round Water Bar Stock length 1400mm Cut lengths			
	WD1	Water Deflector Complete with felt Stock length 1400mm Cut lengths			
	CC18	Channel End Cap To suit CS18 channel			
	CC45	Channel End Cap To suit 45° mitre CS18 channel			
	CC17	Channel End Cap To suit CS17 channel			
	CC15	Channel End Cap To suit CS15 channel			









***Note:** The powder coat price list is based on the following standard colours – **Gloss White, Gloss Black & Matt Black**. Special colours outside this range are subject to a powder coaters surcharge. Allow seven day lead time for all powder coat colours.

Lead time and pricing available from customer services between 8am - 5pm on 0800 545 800



SHOWER COMPONENTS

PVC Shower Seals

Product	Code	Description	All Prices Per Metre
	MT 1	Clear Water Seal PVC rigid back and flexible seal to suit 10mm glass Stock length 2000mm	
	MWS 10-1	Clear Water Seal PVC rigid stop to suit 10mm glass Stock length 2200mm Cut lengths	
	MWS 10-5	Clear Water Seal PVC rigid channel and flexible fin to suit 10mm glass Stock length 2200mm Cut lengths	
	MWS 10-6	Clear Water Seal PVC rigid channel and flexible seal to suit 10mm glass Stock length 2200mm Cut lengths	
	MWS 10-7	Clear Water Seal PVC rigid channel and flexible tube seal to suit 10mm glass Stock length 2200mm Cut lengths	
	MWS 10-10	Clear Water Seal PVC rigid channel / water deflector and dual flexible seals to suit 10mm glass. Stock length 2200mm Cut lengths	
	MWS 10-8	Clear Water Seal PVC rigid channel with flexible seal at 90° to suit 10mm glass. Stock length 2200mm Cut lengths	
	MWS 10-9	Clear Water Seal PVC rigid channel with flexible seal at 135° to suit 10mm glass. Stock length 2200mm Cut lengths	





NOTE: Clearances shown for water seals are only a guide

Lead time and pricing available from customer services between 8am - 5pm on 0800 545 800



SHOWER COMPONENTS

Frameless Shower Support Headers

Product	Code / Description	Polished Chrome	Satin Chrome
Type 6 	SH-T6 Wall to side panel support header. Sits over glass 25mm diameter rod. Specify length and glass thickness. Manufactured to custom sizes up to 1200mm long.		
Type 3 	SH-T3 Quadrant support header sits over glass. 16 x 16 square section. Specify opening and glass thickness. Manufactured to custom sizes up to 1200mm long.		
Type 1 	SH-T1 Side panel to return support header. Sits over glass 16 x 16 square section. Specify opening size and glass thickness. Manufactured to custom sizes up to 1200mm long.		
Type 4 	SH-T4 Inline side panel to side panel header. Sits over glass 16 x 16 square section. Specify opening size and glass thickness. Manufactured to custom sizes up to 1200mm long.		

Adjustable Support Headers also available – please enquire

Lead time and pricing available from customer services between 8am - 5pm on 0800 545 800




FRAMELESS GLASS SHOWER COMPONENTS

Glass Door Indicator Locks for Swing Doors

For Toilet and Bathroom Doors. To suit 8mm and 10mm glass.

Product	Code	Description	Polished Chrome	Satin Chrome
	IL700C	Indicator Lock Door to Wall (Glass Cut Out Required)		
	IL701C	Indicator Lock Door to Sidepanel (Glass Cut Outs Required)		
	IL600C	Indicator Lock Door to Wall (No Glass Cut Out Required)		





Lead time and pricing available from customer services between 8am - 5pm on 0800 545 800





FRAMELESS GLASS SHOWER COMPONENTS

Glass Door Indicator Locks for Sliding Doors

For Toilet and Bathroom Doors. To suit 8mm and 10mm glass.

Product	Code	Description	Polished Chrome	Satin Chrome
	IL700C-H	Indicator Lock Door to Wall (Glass Cut Out Required)		
	IL701C-H	Indicator Lock Door to Sidepanel (Glass Cut Outs Required)		

GLASS
PREPARATION





Lead time and pricing available from customer services between 8am - 5pm on 0800 545 800



SHOWER COMPONENTS

Glass Clamps

Product	Code	Description	Polished Chrome	Satin Chrome
	MB6	Shelf Bracket for 6mm shelf		
	MB8	Shelf Bracket for 8mm shelf		
	MB10	Shelf Bracket for 10mm shelf		
	MB12	Shelf Bracket for 12mm shelf		
	MV50	Upstand Support Bracket 50mm high		
	MV100	100mm high Special sizes P.O.A		

*Powder coat colour as per standard range as stated on page 1.8 of this pricelist.


Lead time and pricing available from customer services between 8am - 5pm on 0800 545 800




Set Out Details

ELITE SHOWER HINGES



MF1
Wall Mount Hinge





MF1-L
Single Side Wall Mount Hinge





MF1-90
Wall Mount Hinge 90° Fixing





MF2
Glass to Glass Hinge





MF2-135
Glass to Glass 135° Hinge



MF2-90
Glass to Glass 90° Hinge



MF2-BF
Glass to Glass BiFold Hinge







Maximum door weight is 35kg and maximum door width is 800mm for above hinges.

Lead time and pricing available from customer services between 8am - 5pm on 0800 545 800


Set Out Details

DESIGNER SHOWER HINGES AND PULL HANDLES

MF2DL/R Glass to Glass Fix Hinge



MK70 Square Double Pull Handle




Lead time and pricing available from customer services between 8am - 5pm on 0800 545 800


Set Out Details

SHOWER HANDLES AND KNOBS


GT-Q250
Rectangular Pull Handle




GT-250
Double D Handle



GTFR150 and GTFS150
Fineline Handle




MD250
Delta Handle




Knobs


MK38
Pull Knob Set



MK25
Pull Knob Set



MW30
Highlight Washer
To suit MK25 Knob Set
and GT and M250 Handles




Lead time and pricing available from customer services between 8am - 5pm on 0800 545 800

Set Out Details


SHOWER SETOUT EXAMPLES

Shower Type: Glass to Glass Square


Overall Shower Sizes



Plan View with Width Clearances



Elevation with Height Clearances




Hardware List

- 2 x MF2 Hinges
- 5.5m x CS18 Channel
- 1 x 600mm WD1 Water Deflector
- 1 x Pair Handles (customer's selection)
- 2 x CC Channel End Caps

If a water bar is to be used under the door, allow an additional 5mm clearance under door.

Lead time and pricing available from customer services between 8am - 5pm on 0800 545 800




Set Out Details


SHOWER SETOUT EXAMPLES

Shower Type: Wall Hung Square


Overall Shower Sizes



Plan View with Width Clearances



Elevation with Height Clearances



Hardware List

- 2 x MF1 Hinges
- 3m x CS18 Channel
- 1 x 650mm WD1 Water Deflector
- 1 x Pair Handles (customer's selection)
- 1 x CC Channel End Cap

If a water bar is to be used under the door, allow an additional 5mm clearance under door.


Lead time and pricing available from customer services between 8am - 5pm on 0800 545 800

Set Out Details


SHOWER SETOUT EXAMPLES

Shower Type: Wall Hung Square Stepped for Bath


Overall Shower Sizes



Plan View with Width Clearances



Elevation with Height Clearances



Hardware List

- 2 x MF1 Hinges
- 3.5m x CS18 Channel
- 1 x 650mm WD1 Water Deflector
- 1 x Pair Handles (customer's selection)
- 1 x CC Channel End Cap

If a water bar is to be used under the door, allow an additional 5mm clearance under door.

Lead time and pricing available from customer services between 8am - 5pm on 0800 545 800




Set Out Details

SHOWER SETOUT EXAMPLES

Shower Type: Glass to Glass Inline


Overall Shower Sizes



Plan View with Width Clearances



Elevation with Height Clearances



Hardware List

- 2 x MF2 Hinges
- 4.5m x CS18 Channel
- 1 x 650mm WD1 Water Deflector
- 1 x Pair Handles (customer's selection)
- 2 x CC Channel End Cap

If a water bar is to be used under the door, allow an additional 5mm clearance under door.


Lead time and pricing available from customer services between 8am - 5pm on 0800 545 800

Set Out Details

SHOWER SETOUT EXAMPLES

Shower Type: Wall Hung Inline


Overall Shower Sizes



Plan View with Width Clearances



Elevation with Height Clearances



Hardware List

- 2 x MF1 Hinges
- 2.5m x CS18 Channel
- 1 x 650mm WD1 Water Deflector
- 1 x Pair Handles (customer's selection)
- 1 x CC Channel End Cap

If a water bar is to be used under the door, allow an additional 5mm clearance under door.

Lead time and pricing available from customer services between 8am - 5pm on 0800 545 800




Set Out Details


SHOWER SETOUT EXAMPLES

Shower Type: Glass to Glass Quadrant


Overall Shower Sizes



Plan View with Width Clearances



Elevation with Height Clearances



Hardware List

- 2 x MF2 Hinges
- 5m x CS18 Channel
- 1 x 600mm WD1 Water Deflector
- 1 x Pair Handles (customer's selection)
- 2 x CC Channel End Cap

If a water bar is to be used under the door, allow an additional 5mm clearance under door.


Lead time and pricing available from customer services between 8am - 5pm on 0800 545 800

Set Out Details


SHOWER SETOUT EXAMPLES

Shower Type: 135° Glass to Glass Quadrant


Overall Shower Sizes



Plan View with Width Clearances



Elevation with Height Clearances



Hardware List

- 2 x MF2-135 Hinges
- 5m x CS18 Channel
- 1 x 600mm WD1 Water Deflector
- 1 x Pair Handles (customer's selection)
- 1 x CC Channel End Cap

If a water bar is to be used under the door, allow an additional 5mm clearance under door.









Lead time and pricing available from customer services between 8am - 5pm on 0800 545 800



Set Out Details

SHOWER SETOUT EXAMPLES

Sliding Shower OTR-2000 Glass To Wall – 1 Side Panel



Hardware List

- 1 x OTR2000 Sliding Door Kit
 - CS18 Channel - sold separately
 - AS6 Water Bar - sold separately
 - CS18 End Cap - sold separately
 - 1 x Handle or Knob, Customers Selection
- Allow holes for handle or knob - sold separately

Note




Cut channel on side panel, less 20mm to allow door guide to clamp to glass at bottom of side panel.
Clear opening 655mm - subject to handle type.
Max door weight 45kgs.
Isometric shows a left hand door plan and glass drawings are for right hand door.

Lead time and pricing available from customer services between 8am - 5pm on 0800 545 800

Set Out Details

SHOWER SETOUT EXAMPLES

Sliding Shower OTR-2000 Glass To Wall – 2 Side Panel




Hardware List

- 1 x OTR2000 Sliding Door Kit
- CS18 Channel - sold separately
- AS6 Water Bar - sold separately
- CS18 End Cap - sold separately
- 1 x Handle or Knob, Customers Selection
- Allow holes for handle or knob - sold separately

Note

Cut channel on side panel, less 20mm to allow door guide to clamp to glass at bottom of side panel.
Clear opening 695mm - subject to handle type.
Max door weight 45kgs.








Lead time and pricing available from customer services between 8am - 5pm on 0800 545 800



Set Out Details

SHOWER SETOUT EXAMPLES

Sliding Shower OTR-2000 Wall To Wall – 1 Side Panel



Hardware List

- 1 x OTR2000 Sliding Door Kit
 - CS18 Channel - sold separately
 - AS6 Water Bar - sold separately
 - CS18 End Cap - sold separately
 - 1 x Handle or Knob, Customers Selection
- Allow holes for handle or knob - sold separately

Note









Cut channel on side panel, less 20mm to allow door guide to clamp to glass at bottom of side panel.
Clear opening 665mm - subject to handle type.
Max door weight 45kgs.

Lead time and pricing available from customer services between 8am - 5pm on 0800 545 800

Set Out Details

SHOWER SETOUT EXAMPLES

Sliding Shower OTR-2000 Wall To Wall – 2 Side Panel



Hardware List

- 1 x OTR2000 Sliding Door Kit
- CS18 Channel - sold separately
- AS6 Water Bar - sold separately
- CS18 End Cap - sold separately
- 1 x Handle or Knob, Customers Selection
- Allow holes for handle or knob - sold separately

Note

Cut channel on side panel, less 20mm to allow door guide to clamp to glass at bottom of side panel.
Clear opening 625mm - subject to handle type.
Max door weight 45kgs.




Lead time and pricing available from customer services between 8am - 5pm on 0800 545 800



Set Out Details

SHOWER SETOUT EXAMPLES

Sliding Shower OTR-2000 Glass To Glass – 1 Side Panel



Hardware List

- 1 x OTR2000 Sliding Door Kit
 - CS18 Channel - sold separately
 - AS6 Water Bar - sold separately
 - CS18 End Cap - sold separately
 - 1 x Handle or Knob, Customers Selection
- Allow holes for handle or knob - sold separately

Note


Cut channel on side panel, less 20mm to allow door guide to clamp to glass at bottom of side panel.
Clear opening 665mm - subject to handle type.
Max door weight 45kgs.
Isometric shows a left hand door plan and glass drawings are for right hand door.

Lead time and pricing available from customer services between 8am - 5pm on 0800 545 800

Set Out Details

SHOWER SETOUT EXAMPLES

Sliding Shower OTR-2000 Glass To Glass



Hardware List

- 1 x OTR2000 Sliding Door Kit
 - CS18 Channel - sold separately
 - AS6 Water Bar - sold separately
 - CS18 End Cap - sold separately
 - 1 x Handle or Knob, Customers Selection
- Allow holes for handle or knob - sold separately

Note

Cut channel on side panel, less 20mm to allow door guide to clamp to glass at bottom of side panel.
Clear opening 695mm - subject to handle type.

Lead time and pricing available from customer services between 8am - 5pm on 0800 545 800