

BALUSTRADE RAIL SYSTEM







S25 Link Rail



- 25 x 21mm 2205 Stainless Steel.
- Suitable for 12mm Glass Thickness with this system.
- Rail Components available for 90 degree corners, adjustable corners (180 degrees to 90 degrees), stairway link connectors (Maximum 35 degrees), inline joiner.
- Wall mount brackets available including end caps.
- Satin Stainless Steel finish standard, can be Powdercoated upon request.

Compliance

















- Complies with NZS 4223.3.2016 and the latest amendment of New Zealand Building Code B1.

Product	Model	Sizes mm	Finish	Material	Type	Application	Area
S25 LINK RAIL 	300738	5800mm	SS	2205 STAINLESS STEEL	LINK RAIL	BALUSTRADE LINK RAIL	Internal & External 
		GLASS THICKNESS: 12mm OVERALL SIZE: 25 x 21mm	ON REQUEST: POWDERCOAT				
S25 LINK RAIL WALL BRACKET (LEFT HAND) 	300118	Suits S25 Rail	SS	2205 STAINLESS STEEL	WALL BRACKET	BALUSTRADE LINK RAIL COMPONENT	Internal & External 
			ON REQUEST: POWDERCOAT				
S25 LINK RAIL WALL BRACKET (RIGHT HAND) 	301854	Suits S25 Rail	SS	2205 STAINLESS STEEL	WALL BRACKET	BALUSTRADE LINK RAIL COMPONENT	Internal & External 
			ON REQUEST: POWDERCOAT				

BALUSTRADE RAIL SYSTEM

S25 Link Rail



Product	Model	Sizes mm	Finish	Material	Type	Application	Area
S25 LINK RAIL VERTICAL ADJUSTABLE JOINER 	300863	Suits S25 Rail	SS ON REQUEST: POWDERCOAT	2205 STAINLESS STEEL	ADJUSTABLE JOINER	BALUSTRADE LINK RAIL COMPONENT	Internal & External 
S25 LINK RAIL HORIZONTAL ADJUSTABLE JOINER 	300862	Suits S25 Rail	SS ON REQUEST: POWDERCOAT	2205 STAINLESS STEEL	ADJUSTABLE HORIZONTAL JOINER	BALUSTRADE LINK RAIL COMPONENT	Internal & External 
S25 LINK RAIL FIXED 90 DEGREE CORNER 	300861	Suits S25 Rail	SS ON REQUEST: POWDERCOAT	2205 STAINLESS STEEL	90 DEGREE CORNER CONNECTOR	BALUSTRADE LINK RAIL COMPONENT	Internal & External 
S25 LINK RAIL INLINE JOINER 	300852	Suits S25 Rail	SS ON REQUEST: POWDERCOAT	2205 STAINLESS STEEL	INLINE JOINER	BALUSTRADE LINK RAIL COMPONENT	Internal & External 
S25 END CAP 	300512	Suits S25 Rail	SS ON REQUEST: POWDERCOAT	2205 STAINLESS STEEL	END CAP	BALUSTRADE LINK RAIL COMPONENT	Internal & External 
LINK RAIL LOCTITE 243 	300961	Suits S25 Rail	ADHESIVE	50ML BOTTLE	TUBE LOCK ADHESIVE	BALUSTRADE LINK RAIL COMPONENT	Internal & External 
S25 LINK RAIL RUBBER GASKET 	302091	Suits S25 Rail PER METRE LENGTH GLASS THICKNESS: 12mm	BLACK	RUBBER	RUBBER GASKET FOR S25 LINK RAIL	BALUSTRADE LINK RAIL COMPONENT	Internal & External 
GRUB SCREW 	301978	M5x6mm	SS	316 STAINLESS STEEL	GRUB SCREW	BALUSTRADE LINK RAIL FIXING	Internal & External 

BALUSTRADE RAIL SYSTEM







S40 Link Rail



- 40 x 30mm 2205 Stainless Steel.
- Suitable for 12mm Glass Thickness with this system.
- Rubber gasket available to suit respective glass thicknesses.
- Rail Components available for 90 degree corners, adjustable corners (180 degrees to 90 degrees), stairway link connectors (Maximum 35 degrees), inline joiner.
- Wall mount brackets available including end caps.
- Satin Stainless Steel standard finish, can be Powdercoated upon request.

Compliance

















- Complies with NZS 4223.3.2016 and the latest amendment of New Zealand Building Code B1.

Product	Model	Sizes mm	Finish	Material	Type	Application	Area
S40 LINK RAIL 	300739	5800mm	SS	2205 STAINLESS STEEL	LINK RAIL	BALUSTRADE LINK RAIL	Internal & External 
		GLASS THICKNESS: 12mm OVERALL SIZE: 40 x 30mm	ON REQUEST: POWDERCOAT				
S40 LINK RAIL WALL BRACKET (LEFT HAND) 	300156	Suits S40 Rail	SS	2205 STAINLESS STEEL	WALL BRACKET	BALUSTRADE LINK RAIL COMPONENT	Internal & External 
			ON REQUEST: POWDERCOAT				
S40 LINK RAIL WALL BRACKET (RIGHT HAND) 	301855	Suits S40 Rail	SS	2205 STAINLESS STEEL	WALL BRACKET	BALUSTRADE LINK RAIL COMPONENT	Internal & External 
			ON REQUEST: POWDERCOAT				

BALUSTRADE RAIL SYSTEM

S40 Link Rail



Product	Model	Sizes mm	Finish	Material	Type	Application	Area
S40 LINK RAIL VERTICAL ADJUSTABLE JOINER 	300868	Suits S40 Rail	SS	2205 STAINLESS STEEL	ADJUSTABLE VERTICAL JOINER	BALUSTRADE LINK RAIL COMPONENT	Internal & External 
			ON REQUEST: POWDERCOAT				
S40 LINK RAIL HORIZONTAL ADJUSTABLE JOINER 	300867	Suits S40 Rail	SS	2205 STAINLESS STEEL	ADJUSTABLE HORIZONTAL JOINER	BALUSTRADE LINK RAIL COMPONENT	Internal & External 
			ON REQUEST: POWDERCOAT				
S40 LINK RAIL FIXED 90 DEGREE CORNER 	300866	Suits S40 Rail	SS	2205 STAINLESS STEEL	90 DEGREE CORNER CONNECTOR	BALUSTRADE LINK RAIL COMPONENT	Internal & External 
			ON REQUEST: POWDERCOAT				
S40 LINK RAIL INLINE JOINER 	300869	Suits S40 Rail	SS	2205 STAINLESS STEEL	INLINE JOINER	BALUSTRADE LINK RAIL COMPONENT	Internal & External 
			ON REQUEST: POWDERCOAT				
S40 END CAP 	300513	Suits S40 Rail	SS	2205 STAINLESS STEEL	END CAP	BALUSTRADE LINK RAIL COMPONENT	Internal & External 
			ON REQUEST: POWDERCOAT				
LINK RAIL LOCTITE 243 	300961	Suits S40 Rail	ADHESIVE	50MM BOTTLE	TUBE LOCK ADHESIVE	BALUSTRADE LINK RAIL COMPONENT	Internal & External 
S40 LINK RAIL RUBBER GASKET 	302092	Suits S40 Rail	BLACK	RUBBER	RUBBER GASKET FOR S40 LINK RAIL	BALUSTRADE LINK RAIL COMPONENT	Internal & External 
		PER METRE LENGTH GLASS THICKNESS: 12mm					
GRUB SCREW 	301978	M5x6mm	SS	316 STAINLESS STEEL	GRUB SCREW	BALUSTRADE LINK RAIL FIXING	Internal & External 

BALUSTRADE RAIL SYSTEM

Edgetec® 220 Link Rail



Aluminium LinkRail 38x30mm – For 12mm Glass

- 38 x 30mm Aluminium Link Rail.
- Available in Natural Anodised Finish 20 microns as standard or Silver Frost powdercoat. Special colours on request (Powdercoating or Anodising).
- Rubber gasket available to suit 12mm glass thicknesses with this system.
- Rail Components available for 90 degree corners, adjustable corners (180 degrees to 90 degrees), stairway link connectors (Maximum 35 degrees), inline joiner.
- Wall mount brackets available including end caps.

Compliance

- Complies with NZS 4223.3.2016 and the latest amendment of New Zealand Building Code B1.

BALUSTRADE RAIL SYSTEM
















Edgetec® 220 Link Rail



Product	Model	Sizes mm	Finish	Material	Type	Application	Area
EDGETEC® 220 LINK RAIL FULL LENGTH 	300728	5800mm	ANOD – Natural	ALUM 6063	LINK RAIL	BALUSTRADE LINK RAIL	Internal & External 
	300729	5800mm	SILVER FROST				
	300727	5800mm	MILL FINISH				
EDGETEC® 220 LINK RAIL HALF LENGTH 	300725	2900mm	ANOD – Natural	ALUM 6063	LINK RAIL	BALUSTRADE LINK RAIL	Internal & External 
	300726	2900mm	SILVER FROST				
	300724	2900mm	MILL FINISH				
EDGETEC® 220 LINK RAIL RUBBER GASKET 	300593	2900mm	BLACK	RUBBER	RUBBER GASKET FOR EDGETEC® 220 LINK RAIL	BALUSTRADE LINK RAIL COMPONENT	Internal & External 
			GLASS THICKNESS: 12mm				
EDGETEC® 220 LINK RAIL INLINE JOINER 	300847	80x22.8x5mm	MILL	ALUM 6063	180 DEGREE STRAIGHT JOINER	BALUSTRADE LINK RAIL COMPONENT	Internal & External 
EDGETEC® 220 LINK RAIL 90 DEGREE JOINER 	300848	50x50x5mm	MILL	ALUM 6063	90 DEGREE CORNER JOINER	BALUSTRADE LINK RAIL COMPONENT	Internal & External 
EDGETEC® 220 LINK RAIL END CAP 	300493	38.4 x 30.4mm	ANOD – Natural	ALUM 6063	END CAP	BALUSTRADE LINK RAIL COMPONENT	Internal & External 
	300494	38.4 x 30.4mm	SILVER FROST				
	300492	38.4 x 30.4mm	MILL				
EDGETEC® 220 LINK RAIL FIXED 90 DEGREE CORNER 	301985	Suits Edgetec® 220 Rail	SILVER FROST	ALUM 6063	90 DEGREE CORNER CONNECTOR	BALUSTRADE LINK RAIL COMPONENT	Internal & External 
	301986	Suits Edgetec® 220 Rail	MILL				
		[Component]	ON REQUEST: POWDERCOAT				

BALUSTRADE RAIL SYSTEM

Edgetec® 220 Link Rail

Product	Model	Sizes mm	Finish	Material	Type	Application	Area
EDGEtec® 220 LINK RAIL HORIZONTAL ADJUSTABLE JOINER 	301987	Suits Edgetec® 220 Rail	SILVER FROST	ALUM 6063	ADJUSTABLE HORIZONTAL JOINER	BALUSTRADE LINK RAIL COMPONENT	Internal & External 
	301988	Suits Edgetec® 220 Rail	MILL				
		(Component)	ON REQUEST: POWDERCOAT				
EDGEtec® 220 LINK RAIL VERTICAL ADJUSTABLE JOINER 	301989	Suits Edgetec® 220 Rail	SILVER FROST	ALUM 6063	ADJUSTABLE VERTICAL JOINER	BALUSTRADE LINK RAIL COMPONENT	Internal & External 
	301990	Suits Edgetec® 220 Rail	MILL				
		(Component)	ON REQUEST: POWDERCOAT				
EDGEtec® 220 WALL BRACKET (LEFT HAND) 	301003	120 x 45mm	SILVER FROST	ALUM 6063	WALL BRACKET	BALUSTRADE LINK RAIL COMPONENT *For attaching to posts or structures	Internal & External 
	301004	120 x 45mm	MILL				
		Suits Edgetec® 220 Rail (Component)	ON REQUEST: POWDERCOAT				
EDGEtec® 220 WALL BRACKET (RIGHT HAND) 	301005	120 x 45mm	SILVER FROST	ALUM 6063	WALL BRACKET	BALUSTRADE LINK RAIL COMPONENT *For attaching to posts or structures	Internal & External 
	301006	120 x 45mm	MILL				
		Suits Edgetec® 220 Rail (Component)	ON REQUEST: POWDERCOAT				
EDGEtec® 220 WALL BRACKET POST END MOUNT 	301002	100 x 65mm	SILVER FROST	ALUM 6063	WALL BRACKET	BALUSTRADE LINK RAIL COMPONENT *For attaching to posts or structures	Internal & External 
	301149	100 x 65mm	MILL				
		Suits Edgetec® 220 Rail (Component)	ON REQUEST: POWDERCOAT				
EDGEtec® 220 WALL BRACKET POST END MOUNT* <small>*Suits AP65 Series Aluminium Post</small> 	301991	60 x 46mm	SILVER FROST	ALUM 6063	POST END MOUNT FOR AP65	BALUSTRADE LINK RAIL COMPONENT *For attaching to posts or structures	Internal & External 
	301992	60 x 46mm	MILL				
		Suits Edgetec® 220 Rail (Component)	ON REQUEST: POWDERCOAT				
SCREW 	301993	6G x 1/4" Sq	SS	304 STAINLESS STEEL	SCREW	PAN HEAD SCREW SUITS COMPONENT 300847 300848 301985 301986 301003 301004 301005 301006 301002 301149 301991 301992	Internal & External 
		GLASS THICKNESS: 12mm, 15mm					
SILICONE – STRUCTURAL GLAZING 	300011	V60	ADHESIVE	CARTRIDGE	SILICONE	FIXING COMPONENT	Internal & External 