

Walk-In/Glass Shower Screens

A fashionable, premium look in today's high spec homes. Our showers are custom made to suit your bathroom layout. Whether it requires hinged or sliding, angled panels or notch cut-outs, we deliver the best solution. Shower hardware can be matched to your other bathroom fittings and/or decor.

NOTE: For showers and bath screens that do not have a door there is a need to have the whole bathroom floor as a wet area. This is a requirement if the edge of the screen is less than 1500mm from the shower rose. (Ref NZ Building Code E3). Grading to a floor waste and terminate with a water stop.

5



Key Features

- Channel Designs
 - CS18 19 x 18mm Channel Aluminium Extrusion
 - CS15 18 x 15mm Channel Aluminium Extrusion
 - AS18 19 x 15mm Angled Extrusion
- End Caps
 - To suit CS18, CS17 & CS15
 - CS18 45 Degree Mitre
- Channels are available in bright and natural silver anodised, matt black powdercoat standard finishes.
- Special colours Powder coated on request

The system is glazed with Metro Performance Glass, as follows:

- 8mm & 10mm TEMPAFLOAT® Toughened Safety Glass.
- Toughened Heat Soak Glass.
- Toughened Screen Print Glass.
- Toughened Digital Print Glass.
- Clearvision Glass for an ultraclear look.

Optional Extras

You can add glass shelves, sweeps or protect your shower with an EZClean Coating - designed to enable glass to have less contact with dirt, making your shower easy to clean and reducing limescale and grime.

EzyClean Technology

- Applied in our state-of-the-art manufacturing facilities, Metro's unique EzyClean Technology provides a protective coating that creates a long lasting, invisible shield on your home's glass surfaces.
- Water will simply bead off the glass surface, resulting in cleaning time being significantly reduced. And it also makes cleaning simple, only requiring the use of water and a mild detergent with a microfibre cloth.
- Compared to ordinary glass, Metro EzyClean Technology:
 - resists staining from hard water deposits.
 - does not support the growth of bacteria.
 - eliminates the need for harsh and abrasive cleaning products.
 - protects against the build-up of soap scum, body oils, dirt, and grime.

Scope of Use

A number of shower configurations are possible.

Support Inquiries

Metro Technical phone (09) 927 3000 or email technical@metroglass.co.nz





Walk-In Showers Components

Product	Model	Sizes mm	Finish	Material	Туре	Application	Area	
CHANNEL	300301	2100mm	ANOD BRIGHT	ALUM 6063	CHANNEL	CHANNEL	Internal &	
CS18	300303	2100mm	ANOD NATURAL			SECTION	External	
15	300302	2100mm	MILL FINISH					
	300304	2100mm	BLACK					
19	301851	2100mm	ARCTIC WHITE					
	300305	3000mm	ANOD BRIGHT					
	300307	3000mm	ANOD NATURAL					
18	300306	3000mm	MILL FINISH					
	300308	3000mm	BLACK					
	301672	3000mm	ARCTIC WHITE					
		GLASS THICKNESS: 12 & 15mm	ON REQUEST: POWDERCOAT					
CHANNEL CSR18	301674	3000mm	PC	ALUM 6063	CHANNEL	CHANNEL	Internal &	
1.7 ► → 14.6 ► → 1.7	301673	3000mm	ANOD NATURAL			SECTION	External	
25.8		GLASS THICKNESS: 12 & 15mm OVERALLSIZE:	ON REQUEST: POWDERCOAT					
18		18 x 25mm						
END CAP	300478	18x18x1mm	ANOD BRIGHT	ALUM 6063	END CAP	END CAP	END CAP	Internal &
CC18	300480	18x18x1mm	ANOD NATURAL			COMPONENT	External	
	300479	18x18x1mm	MILL FINISH			SUITS: CS18 CHANNEL		
END CAP CC18	300485	18x18x1mm	ANOD BRIGHT	ALUM 6063	END CAP	END CAP	Internal &	
To SUIT 45 DEGREE MITRE CUT	300486	18x18x1mm	ANOD NATURAL			COMPONENT	External	
	301714	18x18x1mm	PC			SUITS: CS18 CHANNEL		
CHANNEL	300287	2100mm	ANOD BRIGHT	ALUM 6063	CHANNEL	CHANNEL	Internal &	
CS15	300289	2100mm	ANOD NATURAL			SECTION	External	
11 50	300288	2100mm	MILL FINISH					
	300290	2100mm	BLACK					
	301849	2100mm	ARCTIC WHITE					
	300291	3000mm	ANOD BRIGHT					
∞	300293	3000mm	ANOD NATURAL					
	300292	3000mm	MILL FINISH					
15	300294	3000mm	BLACK					
	301668	3000mm	ARCTIC WHITE					
	301850	3000mm	BLACK					
		GLASS THICKNESS: 8mm	ON REQUEST: POWDERCOAT					
END CAP CC15	300474	15x18x1mm	ANOD BRIGHT	ALUM 6063	END CAP	END CAP	Internal &	
	300475	15x18x1mm	ANOD NATURAL			COMPONENT SUITS: CS15 CHANNEL	External	
ANGLE AS18	300277	2500mm	ANOD BRIGHT	ALUM 6063	ANGLE	ANGLE	Internal &	
I ↑	300278	2500mm	ANOD NATURAL			SECTION	External	
¹ 0	300276	2500mm	MILL FINISH					



Walk-In Showers Components

Product	Model	Sizes mm	Finish	Material	Туре	Application	Area
ANGLED WATER	300279	1400mm	ANOD BRIGHT	ALUM 6063	WATER BAR	FLOOR WATER	Internal &
BAR	300281	1400mm	ANOD NATURAL			SEAL*	External
		EXTRUSION SIZE: 18 x6mm	ON REQUEST: POWDERCOAT			*Aluminium Floor Mounted Water Bar.	
HALF ROUND	300335	1400mm	ANOD BRIGHT	ALUM 6063	WATER BAR	FLOOR WATER	Internal &
WATER BAR	300337	1400mm	ANOD NATURAL	OD NATURAL SEAL	SEAL*	External	
		EXTRUSION SIZE: 13 X 5mm	ON REQUEST: POWDERCOAT			*Aluminium Floor Mounted Water Bar.	





HARDWARE WARRANTY

Glass Shelves Components (Corner Shelf-Low Iron or Clear Glass)



Glass Shelves

A 10mm toughened glass corner shelf is a practical addition to your shower and complements the frameless look with its minimal glass profile. A useful holdall for shampoos and soap it also assists as a brace for the shower screen. Available in either 200mm or 250mm radius, and 200mm radius with a soap dish recess.

- Glass Corner Shelves.
- Low Iron or Clear glass types available.

Product	Model	Sizes mm	Glass Type		Туре	Application	Area		
CORNER SHELF (SOAP DISH)	301361	200 x 200 x 10mm	LOW IRON (TOUGHE	NED)	GLASS SHELF	CORNER SHOWER	Internal 8 External		
	301364	250 x 250 x 10mm	LOW IRON (TOUGHE	NED)		SHELF	X		
		GLASS THICKNESS: 10mm							
CORNER SHELF - (CLEAR)	301359	200 x 200 x 10mm	CLEAR (TOUGHEN	ED)	GLASS SHELF	CORNER SHOWER			
	301362	250 x 250 x 10mm	CLEAR (TOUGHEN	ED)	-	SHELF			
		GLASS THICKNESS: 10mm							
CORNER SHELF -(LOW IRON)	301360	200 x 200 x 10mm	LOW IRON (TOUGHE	NED)	GLASS SHELF CORNER SHOWER				
	301363	250 x 250 x 10mm	LOW IRON (TOUGHE	NED)		SHELF			
		GLASS THICKNESS: 10mm							
CORNER SHELF -(LOW IRON)	301365	200 x 200 x 10mm	CLEAR (TOUGHEN	IED)	GLASS SHELF CORNER SHOWER				
	301366 250 x 250 x 10mm CLEAR (TOUGHENED)		IED)	SHELF					
		GLASS THICKNESS: 10mm							



Shower / Bath Seals (Clear PVC Rigid Water Seals)

Shower / Bath Seals

PVC Shower and Bath Seals are available to suit all 10mm glass specified. They are a clear rigid / flexible PVC water seal to suit all applications and configurations.

- Clear PVC Rigid Water Seals (to suit 10mm Glass)
- Water Bars / Deflectors
 - Aluminium (Half Round or Angled) floor mounted Water Bar Channels
 - Aluminium Water Deflectors complete with Woolpile Felt

Product	Model	Sizes mm	Finish	Туре	Application	Area
CLEAR WATER SEAL MT1	301337	2000mm	PVC CLEAR	PVC RIGID	WATER SEAL*	Internal &
Flexible PVC		GLASS THICKNESS: 10mm			*Rigid Back & Flexible seal.	External
CLEAR WATER SEAL	301338	2200mm	PVC CLEAR	PVC RIGID	WATER SEAL*	
MWS 10-1		GLASS THICKNESS: 10mm			*Rigid Stop.	
CLEAR WATER SEAL	301340	2200mm	PVC CLEAR	PVC RIGID	WATER SEAL*	
MWS 10-5		GLASS THICKNESS: 10mm			*Rigid Channel & Flexible Fin.	
CLEAR WATER SEAL	301341	2200mm	PVC CLEAR	PVC RIGID	WATER SEAL*	
MWS 10-6		GLASS THICKNESS: 10mm			*Rigid Channel & Flexible Seal.	
CLEAR WATER SEAL	301342	2200mm	PVC CLEAR	PVC RIGID	WATER SEAL*	
MWS 10-7		GLASS THICKNESS: 10mm			*Rigid Channel & Flexible Tube.	
CLEAR WATER SEAL	301339	2200mm	PVC CLEAR	PVC RIGID	WATER SEAL*	
MWS 10-10		GLASS THICKNESS: 10mm			*Rigid Channel, Water Deflector & Dual Flexible Seals.	
CLEAR WATER SEAL MWS 10-8	301343	2200mm	PVC CLEAR	PVC RIGID	WATER SEAL*	
		GLASS THICKNESS: 10mm			*Rigid Channel & Flexible Seal 90 Degrees.	
CLEAR WATER SEAL	301344	2200mm	PVC CLEAR	PVC RIGID	WATER SEAL*	
MWS10-9		GLASS THICKNESS: 10mm			*Rigid Channel & Flexible Seal 135 Degrees.	









Water Bars / Deflectors

(Aluminium (Half Round or Angled) floor mounted Water Bar Channels complete with Woolpile Felt)

Product	Model	Sizes mm	Finish	Туре	Application	Area
ANGLED WATER BAR	300279	1400mm	ANOD BRIGHT	WATER BAR	FLOOR WATER SEAL*	Internal &
ANGLED WATER BAR	300281	1400mm	ANOD NATURAL	WATEN DAN	FLOOR WATER SEAL"	External
	301979	1400mm	BLACK		*Aluminium Floor Mounted	
	301665	2800mm			Water Bar.	
	301980	2800mm	ANOD NATURAL			
	301663	2800mm	BLACK			
		EXTRUSION SIZE: 18 x 6mm	ON REQUEST: POWDERCOAT			
HALF ROUND	300335	1400mm	ANOD BRIGHT	WATER BAR	FLOOR WATER SEAL*	Internal &
WATER BAR	300337	1400mm	ANOD NATURAL			External
	301629	1400mm	BLACK		*Aluminium Floor Mounted Water Bar.	
	300338	2800mm	ANOD BRIGHT		Water Bar.	
	300340	2800mm	ANOD NATURAL			
	301630	2800mm	BLACK			
		EXTRUSION SIZE: 13 x 5mm	ON REQUEST: POWDERCOAT			
WATER DEFLECTOR	500444	1400mm	ANOD BRIGHT	FELT WATER	FLOOR WATER SEAL*	Internal &
	500445	1400mm	ANOD NATURAL	DEFLECTOR		External
	500447	1400mm	BLACK		*Aluminium Mounted Water Deflector.	
	500439	2800mm	ANOD BRIGHT			
	500440	2800mm	ANOD NATURAL			
ΤŅ	500442	2800mm	BLACK			
		EXTRUSION SIZE: 8 x 9mm	ON REQUEST: POWDERCOAT			ЩП П
< 9→						



Support Brackets (Headers to support glass panels)

Shower Braces are designed to replace the need for a glass overpanel to support the glass panels. They can be cut-to-size on site and will brace the shower during installation, making it possible to complete the install within the one visit. Available in Polished or Satin Chrome Stainless or Powdercoat finish in either round or flat bars with round or square clamp options and square corner brackets. Custom Sizes up to 1200mm in length are possible.

- ▶ Wall to Side Panel (25mm diameter Rod)
- Side Panel to Return (16 x 16mm Square Section)
- Inline Side Panel to Side Panel (16 x 16mm Square Section)
- Quadrant Support Header (16 x 16mm Square Section)
- > Adjustable support headers are also available upon request

Product	Model	Sizes mm	Finish	Material	Туре	Application	Area	
SUPPORT	300749	Up to 1200mm	PC	BRASS	SHOWER	SHOWER	Internal &	
HEADER (GLASS PANEL TO WALL)	300750	Up to 1200mm	SC		SUPPORT HEADER	OVERPANEL SUPPORT	External	
25MM DIA. TUBE		25mm dia. Rod	ON REQUEST:			SECTION		
		GLASS THICKNESS: Upon product selection	POWDERCOAT					
SUPPORT	300745	Up to 1200mm	PC	BRASS	SHOWER	SHOWER		
HEADER (GLASS QUADRANT)	300746	Up to 1200mm	SC		SUPPORT HEADER	OVERPANEL SUPPORT		
16 X16MM		16x16 sq	ON REQUEST:			SECTION		
TYPE 3		GLASS THICKNESS:	POWDERCOAT					
nominated size		Upon product selection						
SUPPORT	300743	Up to 1200mm	PC	BRASS	SHOWER	SHOWER		
HEADER (GLASS SIDE PANEL TO	300744	Up to 1200mm	SC		SUPPORT (HEADER		OVERPANEL SUPPORT	
RETURN)		16x16 sq	ON REQUEST:					
16 X16MM		GLASS	POWDERCOAT					
		THICKNESS: Upon product						
		selection						
SUPPORT	300747	Up to 1200mm	PC	BRASS	SHOWER	SHOWER		
HEADER (GLASS	300748	Up to 1200mm	SC		SUPPORT HEADER	OVERPANEL SUPPORT		
PANEL TO SIDE		16x16 sq	ON REQUEST:		ne, oen	SECTION		
PANEL) 16 X16MM		GLASS	POWDERCOAT					
TYPE 4		THICKNESS: Upon product selection						
nominated size								

NOTE: Ordered on request only (please specify dimensions) – Required nominated opening plus glass thickness. ***SEE SHOWER PANEL OVER CLAMP SECTION FOR OTHER OPTIONS.**







Overpanel and glass clamps are available to suit different configurations, including shelve Brackets. Upstands, and panel overclamps.

- Upstand Support Bracket (50mm and 100mm in height) Custom sizes available upon request
 - Polished Chrome or Satin Chrome finish
 - 50mm diameter base
- Shelf Brackets 6mm, 8mm, 10mm and 12mm (Half Round & Square Design)
 - Fixing to glass by grub screw
- Shower Overpanel clamp Round 20mm diameter
 - Polished Chrome finish
 - 10mm shower to 6mm glass over panel
 - Fixed to glass via a grub screw
- Shower Overpanel clamp Square 20 x 20mm
 - Polished Chrome or Matt Black finish
 - 10mm shower to 6mm glass over panel
 - Fixed to glass via a grub screw

Product	Model	Sizes mm	Finish	Material	Туре	Application	Area
SHELF BRACKET	300135	6mm	PC	BRASS	SHELF BRACKET	HOLDS UP	Bathroom
– (HALF ROUND)	300136	6mm	SC			GLASS SHELF	
	300137	8mm	PC				
	300138	8mm	SC				
1414	300126	10mm	PC				
	300127	10mm	SC				
	300133	12mm	PC				
	300134	12mm	SC				
		GLASS THICKNESS: 6-12mm	ON REQUEST: POWDERCOAT				Residential Commercial Internal Walls
SHELF BRACKET	300139	10mm	SC	BRASS	SHELF BRACKET	HOLDS UP	
- (SQUARE)		GLASS THICKNESS: 10mm	ON REQUEST: POWDERCOAT			GLASS SHELF	





50mm diameter base.

Product	Model	Sizes mm	Finish	Material	Туре	Application	Area	
UPSTAND	300146	50mm Height	PC	304	UPSTAND	HOLDS GLASS	Bathroom	
SUPPORT BRACKET	300147	50mm Height	SC	STAINLESS STEEL	BRACKET	UP OFF FLOOR		
	300144	100mm Height	PC					
	300145	100mm Height	SC			*10G Lag screws	*10G Lag screws	
		GLASS THICKNESS: 8-10mm *Special Sizes are also available upon request. (Custom height / glass thickness requirements)	ON REQUEST: POWDERCOAT			are not included to fix support stand to substrate.		

Shower Panel Over Clamp

To secure a 6mm glass overpanel to the top of a shower.

*SEE FRAMELESS SHOWER SUPPORT BRACKETS FOR OTHER OPTIONS.

Product	Model	Sizes mm	Finish	Material	Туре	Application	Area
ROUND SHOWER	300351	20mm dia.	PC	304	OVERPANEL	SHOWER	Bathroom
		GLASS THICKNESS: 10mm shower to 6mm glass over panel	ON REQUEST: POWDERCOAT	STAINLESS STEEL	CLAMP	OVERPANEL CLAMP	×
SQUARE SHOWER	300352	20 x 20mm	PC	304	OVERPANEL CLAMP	SHOWER OVERPANEL CLAMP	Bathroom
OVERPANEL CLAMP	300353	20 x 20mm	BLACK	STAINLESS STEEL			
		GLASS THICKNESS: 10mm shower to 6mm glass over panel	ON REQUEST: POWDERCOAT	UTEE			



5

ARDWARE /ARRANTY