



Hardware Options

A complete range of locks, locking systems and architectural hardware is available to suit all residential and commercial applications.



Hardware Options

PRODUCT OVERVIEW 524

HARDWARE OPTIONS 528

▶ Pull Handles – Residential	528
▶ Pull Handles – Commercial	530
▶ Pull Knobs	532
▶ Button Heads – Components	533
▶ Finger Pulls	533
▶ Indicator Locks	534
▶ Lever Lock & Latch Set	535
▶ Heavy Duty Sliding Door Lock	536
▶ Pool Gate Latches	536
▶ Digital Lock Set	538
▶ Yale SmartTouch – Digital Locking System	539

6

AREA ICONS KEY:



SLIDING
SHOWERS



TOILET
DOORS



SHOWERS



DOORS



SLIDING
DOORS

PRODUCT OVERVIEW

Hardware Options – Handles / Latch Sets / Lever Locks

Choosing the right handles and locks can make all the difference – not only for the look of your shower or residential/commercial door, but also in terms of its functionality and security. There are a number of other colours and finishes available upon request. Handles are typically constructed in 316 or 304 Stainless Steel, Brass or Aluminium. Also coloured channel and hinges are available to match handle selection.



Hardware Options

- ▶ **KNOB**
 - Square
 - Round
- ▶ **PULL HANDLE – (Hollow or Solid)**
 - Commercial
 - Residential
- ▶ **INDICATOR LOCK**
 - Pivot
- ▶ **LEVER LOCK & LATCH SET**
 - Light Duty
 - Heavy Duty
- ▶ **DIGITAL LOCK SET**
 - Electronic Solution
- ▶ **DEADLOCK**
 - Commercial Sliding Door
- ▶ **FINGER PULLS**
 - Sliding Door
 - Glass Cutouts (Recommended for hinged doors only)
- ▶ **PATCH LOCKS**
 - Bottom
 - Centre
 - Cover Plate
 - Cylinder

Finish Glossary:

- ▶ **ALUMINIUM**
- ▶ **BRASS**
- ▶ **304 STAINLESS STEEL**
- ▶ **316 STAINLESS STEEL**
 - **ANOD** – Anodised Aluminium (Film Thickness varies in microns, typically available in a black, bronze, and silver/natural)
 - **AB** – Antique Brass
 - **ALUM** – Aluminium
 - **BB** – Bright Brass
 - **BZ** – Bronze
 - **BLACK*** – Black
 - **BLACKC** – Black Chrome
 - **CP** – Chrome Plate
 - **FB** – Florentine Bronze
 - **NP** – Nickel Plate
 - **MILL FINISH** – Aluminium / Steel
 - **PB** – Polished Brass
 - **PC** – Polished Chrome
 - **POWDERCOAT** – Powdercoat Finish (Film Thickness varies in microns and colour types vary)
 - **PSS** – Polished Stainless Steel
 - **SC** – Satin Chrome
 - **SCP** – Satin Chrome Plate
 - **SNP** – Satin Nickel Plate
 - **SS** – Stainless Steel
 - **SSS** – Satin Stainless Steel

*Could be Matt Black Powdercoat. Contact MFG to check the finish and colour.

*Not all Finishes are offered as standard. Custom finishes are possible and are subject to confirmation from MFG where not explicitly stated. Please inquire directly via MFG customer Service on phone: (09) 927 3000 or email mfg@metroglass.co.nz.

HARDWARE OPTIONS

Pull Handles – Residential



Product	Model	Sizes mm	Finish	Material	Type	Application	Area
ROUND D 250MM 	300632	275 25mm	BLACK	304 STAINLESS STEEL	PULL HANDLE	SLIDING DOOR PIVOT DOOR	Bathroom  Internal & External 
	300633	275 25mm	PSS				
	300634	275 25mm	SSS				
		GLASS THICKNESS: 6-15mm Hole Centres 250mm (Hole dia. 12mm)	ON REQUEST: POWDERCOAT				
DELTA D 	300676	275x50x25mm	PSS	304 STAINLESS STEEL	PULL HANDLE	SLIDING DOOR PIVOT DOOR	Bathroom  Internal & External 
	300677	275x50x25mm	SSS				
		GLASS THICKNESS: 6-15mm Hole Centres 250mm (Hole dia. 12mm)	ON REQUEST: POWDERCOAT				
SQUARE D 	300647	270mm x (10 x 20mm Rectangular section)	BLACK	304 STAINLESS STEEL	PULL HANDLE	SLIDING DOOR PIVOT DOOR	Bathroom  Internal & External 
	300648		PSS				
	300649		SSS				
		GLASS THICKNESS: 6-15mm Hole Centres 250mm (Hole dia. 10mm)	ON REQUEST: POWDERCOAT				
SQUARE WIDE D 	300650	270mm x (20 x 40mm Rectangular section)	PSS	304 STAINLESS STEEL	PULL HANDLE	SLIDING DOOR PIVOT DOOR	Bathroom  Internal & External 
	300651		SSS				
			ON REQUEST: POWDERCOAT				
		GLASS THICKNESS: 6-15mm Hole Centres 250mm (Hole dia. 10mm)					
H ROUND S 	300635	250 x 19mm	PSS	304 STAINLESS STEEL	PULL HANDLE	SLIDING DOOR PIVOT DOOR	Bathroom  Internal & External 
	300636	250 x 19mm	SSS				
		GLASS THICKNESS: 6-15mm Hole Centres 150mm (Hole dia. 10mm)	ON REQUEST: POWDERCOAT				
H ROUND L 	300638	350x 25mm	BLACK	304 STAINLESS STEEL	PULL HANDLE	SLIDING DOOR PIVOT DOOR	Bathroom  Internal & External 
	300639	350x 25mm	PSS				
	300640	350x 25mm	SSS				
	300637	350x 25mm	BLACKC				
		GLASS THICKNESS: 6-15mm Hole Centres 250mm (Hole dia. 10mm)	ON REQUEST: BLACKC POWDERCOAT				

Standard Fixing Back to Back. Sold in Pairs. Options available for Single with Buttons or Pull Knob.

NOTE: All pull handles can be modified to accommodate a thicker glass specification. Please indicate glass thickness at time of order.

HARDWARE OPTIONS

Pull Handles – Residential

Product	Model	Sizes mm	Finish	Material	Type	Application	Area
H SQUARE S 	300641	250mm x (19 x 19mm Square Section)	PSS	304 STAINLESS STEEL	PULL HANDLE	SLIDING DOOR PIVOT DOOR	Bathroom
	300642		SSS				Internal & External
		GLASS THICKNESS: 6-15mm Hole Centres 150mm (Hole dia. 10mm)	ON REQUEST: POWDERCOAT				
H SQUARE L 	300644	350mm x (19 x 19mm Square Section)	BLACK	304 STAINLESS STEEL	PULL HANDLE	SLIDING DOOR PIVOT DOOR	Bathroom
	300645		PSS				Internal & External
	300646		SSS				
		GLASS THICKNESS: 6-15mm Hole Centres 250mm (Hole dia. 10mm)	ON REQUEST: BLACKC POWDERCOAT				
MS250-500 RANGE ROUND D WITH PULL KNOB 	300696	250mm	PSS	304 STAINLESS STEEL	SINGLE D PULL HANDLE ONE SIDE WITH TUBE KNOB OTHER SIDE (MK25)	SLIDING DOOR PIVOT DOOR	Bathroom
	300698	300mm	PSS				
	300700	400mm	PSS				
	300702	450mm	PSS				
	300704	500mm	PSS				
	300697	250mm	SSS				
	300699	300mm	SSS				
	300701	400mm	SSS				
	300703	450mm	SSS				
	300705	500mm	SSS				
		GLASS THICKNESS: 6-15mm Hole Centres (Hole dia. 12mm)	ON REQUEST: POWDERCOAT				
M250-500 RANGE ROUND D PULL HANDLE 	300665	250mm	PC	304 STAINLESS STEEL	ROUND D PULL HANDLE	SLIDING DOOR PIVOT DOOR	Bathroom
	300667	300mm	PSS				
	300669	400mm	PC				
	300671	450mm	PC				
	301829	500mm	PSS				
	300666	250mm	SC				
	300668	300mm	SSS				
	300670	400mm	SSS				
	300672	450mm	SSS				
	300673	500mm	SSS				
		GLASS THICKNESS: 6-15mm Hole Centres (Hole dia. 12mm)	ON REQUEST: BLACKC POWDERCOAT				















Standard Fixing Back to Back. Sold in Pairs. Options available for Single with Buttons or Pull Knob.

NOTE: All pull handles can be modified to accommodate a thicker glass specification. Please indicate glass thickness at time of order.

HARDWARE OPTIONS

Pull Handles – Commercial















Product	Model	Sizes mm	Finish	Material	Type	Application	Area
SQUARE D 475MM 	300712	475 x (25mm Square Section)	SSS	304 STAINLESS STEEL	COMMERCIAL PULL HANDLE	SLIDING DOOR PIVOT DOOR	Internal & External 
		GLASS THICKNESS: 6 - 15mm Hole Centres 450mm (Hole dia. 12mm)	ON REQUEST: POWDERCOAT				
SQUARE D 600MM 	300713	600 x (25mm Square Section)	SSS	304 STAINLESS STEEL	COMMERCIAL PULL HANDLE	SLIDING DOOR PIVOT DOOR	Internal & External 
		GLASS THICKNESS: 6 - 15mm Hole Centres 600mm (Hole dia. 12mm)	ON REQUEST: POWDERCOAT				
SQUARE WIDE D 475MM 	300706	475 x (50x 25mm Rectangular Section)	SSS	304 STAINLESS STEEL	COMMERCIAL PULL HANDLE	SLIDING DOOR PIVOT DOOR	Internal & External 
		GLASS THICKNESS: 6 - 15mm Hole Centres 450mm (Hole dia. 12mm)	ON REQUEST: POWDERCOAT				
SQUARE WIDE D 625MM 	300708	625 x (50 x 25mm Rectangular Section)	SSS	304 STAINLESS STEEL	COMMERCIAL PULL HANDLE	SLIDING DOOR PIVOT DOOR	Internal & External 
	300707		PSS				
		GLASS THICKNESS: 6 - 15mm Hole Centres 600mm (Hole dia. 12mm)	ON REQUEST: POWDERCOAT				
ROUND D 300MM 	300679	300 x 32mm	SSS	304 STAINLESS STEEL	COMMERCIAL PULL HANDLE	SLIDING DOOR PIVOT DOOR	Internal & External 
	300678	300 x 32mm	PSS				
		GLASS THICKNESS: 6 - 15mm Hole Centres 300mm (Hole dia. 14mm)	ON REQUEST: POWDERCOAT				
ROUND D 500MM 	300681	500 x 32mm	SSS	304 STAINLESS STEEL	COMMERCIAL PULL HANDLE	SLIDING DOOR PIVOT DOOR	Internal & External 
	300680	500 x 32mm	PSS				
		GLASS THICKNESS: 6-15mm Hole Centres 500mm (Hole dia. 14mm)	ON REQUEST: POWDERCOAT				
ROUND D 600MM 	300682	600 x 32mm	PSS	304 STAINLESS STEEL	COMMERCIAL PULL HANDLE	SLIDING DOOR PIVOT DOOR	Internal & External 
	300683	600 x 32mm	SSS				
		GLASS THICKNESS: 6 - 15mm Hole Centres 600mm (Hole dia. 14mm)	ON REQUEST: POWDERCOAT				

Standard Fixing Back to Back. Sold in Pairs. Options available for Single with Buttons or Pull Knob.

NOTE: All pull handles can be modified to accommodate a thicker glass specification. Please indicate glass thickness at time of order.

HARDWARE OPTIONS

Pull Handles – Commercial

Product	Model	Sizes mm	Finish	Material	Type	Application	Area
H ROUND XL 600MM 	300687	600 x 25mm	SSS	304 STAINLESS STEEL	COMMERCIAL PULL HANDLE	SLIDING DOOR PIVOT DOOR	Internal & External 
	300686	600 x 25mm	PSS				
		GLASS THICKNESS: 6 - 15mm Hole Centres 400mm (Hole dia. 14mm)	ON REQUEST: POWDERCOAT				
H ROUND XXL 900MM 	300689	900 x 25mm	SSS	304 STAINLESS STEEL	COMMERCIAL PULL HANDLE	SLIDING DOOR PIVOT DOOR	Internal & External 
	300688	900 x 25mm	PSS				
		GLASS THICKNESS: 6 - 15mm Hole Centres 700mm (Hole dia. 14mm)	ON REQUEST: POWDERCOAT				
SQUARELINE 	300710	600mm x (25mm Square Section)	SSS	304 STAINLESS STEEL	COMMERCIAL PULL HANDLE	SLIDING DOOR PIVOT DOOR	Internal & External 
		GLASS THICKNESS: 6 - 15mm Hole Centres 425mm (Hole dia. 12mm)	ON REQUEST: POWDERCOAT				
ICON ROUND 750MM 	501142	750 x 25mm	SSS	316 STAINLESS STEEL	COMMERCIAL PULL HANDLE	SLIDING DOOR PIVOT DOOR	Internal & External 
		GLASS THICKNESS: 6 - 15mm Hole Centres 500mm (Hole dia. 14mm)					
ICON ROUND 1250MM 	501141	1250 x 25mm	SSS	316 STAINLESS STEEL	COMMERCIAL PULL HANDLE	SLIDING DOOR PIVOT DOOR	Internal & External 
		GLASS THICKNESS: 6 - 15mm Three Holes at 500mm Centres (Hole dia. 14mm)					
ICON ROUND 1750MM 	501143	1750 x 25mm	SSS	316 STAINLESS STEEL	COMMERCIAL PULL HANDLE	SLIDING DOOR PIVOT DOOR	Internal & External 
		GLASS THICKNESS: 6 - 15mm Four Holes at 500mm Centres (Hole dia. 14mm)					

Standard Fixing Back to Back. Sold in Pairs. Options available for Single with Buttons or Pull Knob.

NOTE: All pull handles can be modified to accommodate a thicker glass specification. Please indicate glass thickness at time of order.

HARDWARE OPTIONS

Pull Knobs






Product	Model	Sizes mm	Finish	Material	Type	Application	Area
SQUARE KNOB 	300885	25 x 25mm	PC	PLATED BRASS	PULL KNOB	PIVOT DOOR	Bathroom 
	300886	25 x 25mm	SC				
	301952	25 x 25mm	BLACK				
		GLASS THICKNESS: 6-15mm	ON REQUEST: POWDERCOAT				
TUBE KNOB 	300879	25mm dia.	PSS	PLATED BRASS	PULL KNOB	PIVOT DOOR	Bathroom 
	300880	25mm dia.	SSS				
		GLASS THICKNESS: 6-15mm	ON REQUEST: POWDERCOAT				
BUTTON KNOB 	300881	38mm dia.	PSS	PLATED BRASS	PULL KNOB	PIVOT DOOR	Bathroom 
	300882	38mm dia.	SSS				
		GLASS THICKNESS: 6-15mm	ON REQUEST: POWDERCOAT				
BEVEL KNOB 	300883	38mm dia.	PSS	PLATED BRASS	PULL KNOB	PIVOT DOOR	Bathroom 
	300884	38mm dia.	SSS				
		GLASS THICKNESS: 6-15mm	ON REQUEST: POWDERCOAT				
SQUARE KNOB 	300693	32mm Fixing Hole Centres	PC	PLATED BRASS	PULL KNOB	PIVOT DOOR	Bathroom 
	300694		SC				
	300692		BLACK				
		GLASS THICKNESS: 6-15mm 70mm x (50mm width x 24mm depth)	ON REQUEST: POWDERCOAT				
HIGHLIGHT WASHER *Available in 30, 37 and 43mm Diameters 	301617	30mm dia.	PC	PLATED BRASS	PULL KNOB HANDLE COMPONENT	PIVOT DOOR	Bathroom 
	301618	37mm dia.	PC				
	301619	43mm dia.	PC				
			ON REQUEST: POWDERCOAT				
						SUITS COMPONENT 30mm Diameter 300879 300880 300883 300884 37mm Diameter 300879 300880 300883 300884 43mm Diameter 300881 300882	

Standard Fixing Back to Back. Sold in Pairs. Options available for Single with Buttons or Pull Handle.



HARDWARE OPTIONS

Button Heads – Components

Product	Model	Sizes mm	Finish	Material	Type	Application	Area
BUTTON HEADS 25 & 32MM DIAMETER 	300230	25mm	PSS	316 STAINLESS STEEL	HANDLE CONVERSION COMPONENT	SLIDING DOOR	Bathroom
	300231	25mm	SSS				
	300232	32mm	PSS				Internal & External 
	300233	32mm	SSS				

For conversion of double to single pull handles.



Finger Pulls

Product	Model	Sizes mm	Finish	Material	Type	Application	Area
FINGER PULL RAISED 	500606	10mm	SSS	316 STAINLESS STEEL	FINGER PULL HANDLE	SLIDING DOOR	Bathroom
	500607	12mm	SSS				
		GLASS THICKNESS: 10-12mm	ON REQUEST: POWDERCOAT				Internal & External 
FINGER PULL FLUSH 	300516	10mm	SSS	316 STAINLESS STEEL	FINGER PULL HANDLE	SLIDING DOOR	Bathroom
	302159	12mm	SSS				
		GLASS THICKNESS: 10-12mm	ON REQUEST: POWDERCOAT				Internal & External 

(Glass Cutouts are also available – For Pivot Doors not recommended for Sliding Door Applications).

HARDWARE OPTIONS

Indicator Locks For Pivot and Sliding Doors (Privacy / Locking Options)





Product	Model	Sizes mm	Finish	Material	Type	Application	Area
INDICATOR LOCK (DOOR TO WALL) 	300940	90x55mm	PC	PLATED BRASS	INDICATOR LOCK	PIVOT DOOR	Bathroom
	300941	90x55mm	SC				Internal & Commercial
		GLASS THICKNESS: 8-10mm	ON REQUEST: POWDERCOAT				
INDICATOR LOCK (DOOR TO SIDEPANEL) 	300947	90x110mm	PC	PLATED BRASS	INDICATOR LOCK	PIVOT DOOR	Bathroom
		GLASS THICKNESS: 8-10mm	ON REQUEST: POWDERCOAT				Internal & Commercial
INDICATOR LOCK (DOOR TO WALL) No Glass Cutout Required. 	300931	50x69mm	PC	PLATED BRASS	INDICATOR LOCK	PIVOT DOOR	Bathroom
	300932	50x69mm	SC				Internal & Commercial
		GLASS THICKNESS: 8-10mm					
INDICATOR LOCK (DOOR TO SIDEPANEL) No Glass Cutout Required. 	300935	100x69mm	PSS	PLATED BRASS	INDICATOR LOCK	PIVOT DOOR	Bathroom
	300936	100x69mm	SSS				Internal & Commercial
		GLASS THICKNESS: 8-10mm					
HEAVY DUTY INDICATOR LOCK (DOOR TO WALL) 	300939	90x55mm	SC	PLATED BRASS	INDICATOR LOCK	SLIDING DOOR	Bathroom
	300942	90x55mm	PC				Internal & Commercial
		GLASS THICKNESS: 8-10mm	ON REQUEST: POWDERCOAT				
HEAVY DUTY INDICATOR LOCK (DOOR TO SIDEPANEL) 	300949	90x55mm	PC	PLATED BRASS	INDICATOR LOCK	PIVOT DOOR	Bathroom
	300946	90x55mm	PC				Internal & Commercial
		GLASS THICKNESS: 8-10mm	ON REQUEST: POWDERCOAT				

HARDWARE OPTIONS

Lever Lock & Latch Set For Pivot Doors (Exterior Lockset / Interior Lever)





Product	Model	Sizes mm	Finish	Material	Type	Application	Area
LEVER LOCK (TIMBER / ALUMINIUM JAMB)  For Timber	500592	175x65mm	PSS	316 STAINLESS STEEL	LEVER LOCKSET* *Locking to Timber or Aluminium Jamb	PIVOT DOOR	Internal & External Commercial Locking 
	500593	175x65mm	SSS				
	301486	175x65mm	PSS				
	301487	70x28mm	PSS				
	301488	70x28mm	SSS				
		GLASS THICKNESS: 10-12mm	ON REQUEST: POWDERCOAT				
LEVER LOCK (GLASS SIDELIGHT)  For Glass	500594	175x65mm	PSS	316 STAINLESS STEEL	LEVER LOCKSET* *Locking to Timber or Aluminium Jamb	PIVOT DOOR	Internal & External Commercial Locking 
	500595	175x65mm	SSS				
	301486	175x65mm	PSS				
	301489	175x65mm	SSS				
		GLASS THICKNESS: 10-12mm	ON REQUEST: POWDERCOAT				
LEVER LATCHSET (TIMBER / ALUMINIUM JAMB)  For Timber	500596	172x63mm	PSS	316 STAINLESS STEEL	LEVER LATCHSET* *Latching to Timber or Aluminium Jamb	PIVOT DOOR	Internal & External Commercial Locking 
	500597	172x63mm	SSS				
	301486	172x63mm	PSS				
	301487	70x28mm	PSS				
	301488	70x28mm	SSS				
		GLASS THICKNESS: 10-12mm	ON REQUEST: POWDERCOAT				
LEVER LATCHSET (GLASS SIDELIGHT)  For Glass	500598	172x63mm	PSS	316 STAINLESS STEEL	LEVER LATCHSET* *Latching to Glass Sidelight	PIVOT DOOR	Internal & External Commercial Locking 
	500599	172x63mm	SSS				
	301486	172x63mm	PSS				
	301489	172x63mm	SSS				
		GLASS THICKNESS: 10-12mm	ON REQUEST: POWDERCOAT				
HEAVY DUTY LEVER LOCK 	500601	227x50mm Right hand (RH)	PC	316 STAINLESS STEEL	INDICATOR LOCK *Locking options include cylinder/turn 301487 301488 and cylinder to cylinder 300426	PIVOT DOOR	Internal & External Commercial Locking 
	500600	227x50mm Left hand (LH)	PC				
	301743	227x50mm (Keeper LH)	SSS				
	301744	227x50mm (Keeper RH)	PSS				
		Lock Body = 225 x 50 x 37mm GLASS THICKNESS: 10-12mm OVERALL LENGTH = 225mm	ON REQUEST: POWDERCOAT				

HARDWARE OPTIONS



Heavy Duty Sliding Door Lock For Sliding Doors (Exterior / Interior Lockset)










Product	Model	Sizes mm	Finish	Material	Type	Application	Area
HEAVY DUTY SLIDING DOOR LOCK 	500604	SLIDING DOOR DEAD BOLT KIT	SATIN SILVER	316 STAINLESS STEEL	SLIDING DOOR DEADLOCK	SLIDING DOOR	Internal & External Commercial Locking 
	300953	226x50mm GLASS MOUNT STRIKE*	SATIN SILVER				
	300954	198x30mm WALL JAM B STRIKE**	SATIN SILVER				
		GLASS THICKNESS: 10-12mm *Strike Patch **Keeper					



Pool Gate Latches For Pivot Doors / Gates (Exterior Lockset)

Product	Model	Sizes mm	Finish	Material	Type	Application	Area
POOL GATE LATCH (GLASS TO GLASS) 	300918	105x100mm	PSS	316 STAINLESS STEEL	POOL GATE LATCH* *180 degree (Glass to Glass)	PIVOT DOOR	External Pool Fence 
	300919	105x100mm	SSS				
	300917	105x100mm	ANOD NATURAL				
		GLASS THICKNESS: 10-12mm	ON REQUEST: POWDERCOAT				
POOL GATE LATCH (GLASS TO POST) 	300912	97x50mm	PSS	316 STAINLESS STEEL	POOL GATE LATCH* *Glass to Post	PIVOT DOOR	External Pool Fence 
	300913	97x50mm	SSS				
	300911	97x50mm	ANOD NATURAL				
		GLASS THICKNESS: 10-12mm	ON REQUEST: POWDERCOAT				
POOL GATE LATCH (GLASS TO WALL) 	300915	85x100mm	PSS	316 STAINLESS STEEL	POOL GATE LATCH* *Glass to Post or Wall	PIVOT DOOR	External Pool Fence 
	300916	85x100mm	SSS				
	300914	85x100mm	ANOD NATURAL				
		GLASS THICKNESS: 10-12mm	ON REQUEST: POWDERCOAT				
POOL GATE LATCH (GLASS TO ROUND POST) 	300921	83x100mm	PSS	316 STAINLESS STEEL	POOL GATE LATCH* *Glass to Round Post	PIVOT DOOR	External Pool Fence 
	300922	83x100mm	SSS				
	300920	83x100mm	ANOD NATURAL				
		GLASS THICKNESS: 10-12mm	ON REQUEST: POWDERCOAT				
POOL GATE LATCH 90 DEGREE (GLASS TO GLASS) 	300909	115x100mm	PSS	316 STAINLESS STEEL	POOL GATE LATCH* *90 Degree (Glass to Glass)	PIVOT DOOR	External Pool Fence 
	300910	115x100mm	SSS				
	300908	115x100mm	ANOD NATURAL				
		GLASS THICKNESS: 10-12mm	ON REQUEST: POWDERCOAT				
MALIBU POOL LATCH (GLASS TO GLASS) 	300900	128x103mm	PSS	316 STAINLESS STEEL	POOL GATE LATCH* *180 degree (Glass to Glass)	PIVOT DOOR	External Pool Fence 
	300901	128x103mm	SSS				
		GLASS THICKNESS: 10-12mm	ON REQUEST: POWDERCOAT				







Pool Gate Latches For Pivot Doors / Gates (Exterior Lockset)

Product	Model	Sizes mm	Finish	Material	Type	Application	Area
MALIBU POOL LATCH (GLASS TO WALL) 	300902	95x103mm	PSS	316 STAINLESS STEEL	POOL GATE LATCH* *Glass to Post or wall	PIVOT DOOR	External Pool Fence 
	300903	95x103mm	SSS				
		GLASS THICKNESS: 10-12mm	ON REQUEST: POWDERCOAT				
OZONE POOL GATE LATCH (GLASS TO GLASS) 	300906	104x75mm	SSS	2205 STAINLESS STEEL	POOL GATE LATCH* *180 degree (Glass to Glass)	PIVOT DOOR	External Pool Fence 
		GLASS THICKNESS: 12mm	ON REQUEST: POWDERCOAT				
OZONE POOL GATE LATCH 90 DEGREE (GLASS TO GLASS) 	300907	90x75mm	SSS	2205 STAINLESS STEEL	POOL GATE LATCH* *90 Degree (Glass to Glass)	PIVOT DOOR	External Pool Fence 
		GLASS THICKNESS: 12mm	ON REQUEST: POWDERCOAT				
OZONE POOL GATE LATCH (GLASS TO POST) 	300905	65x74mm	SSS	2205 STAINLESS STEEL	POOL GATE LATCH* *Glass to Post or wall	PIVOT DOOR	External Pool Fence 
		GLASS THICKNESS: 12mm	ON REQUEST: POWDERCOAT				
MALIBU POOL LATCH (GLASS TO GLASS) 	300899	60x73mm	N/A	BLACK* *Molded polymers & stainless steel	POOL GATE LATCH* *Glass Gate Hardware Kit designed to fit 50mm round posts	PIVOT DOOR	External Pool Fence 

HARDWARE OPTIONS

Digital Lock Set For Pivot Doors (Electronic Lockset)



Product	Model	Sizes mm	Finish	Material	Type	Application	Area
YALE SMART TOUCH DIGITAL LOCKSET 	300960	180x65mm	SILVER	N/A	DIGITAL DOOR LOCK*	PIVOT DOOR	Keyless Access Solutions Residential and Commercial applications 
		GLASS THICKNESS: 10-12mm					
YALE SMART TOUCH GLASS KEEPER 	300959	178x34mm	SILVER	N/A	DIGITAL DOOR LOCK*	PIVOT DOOR STRIKE	Keyless Access Solutions Residential and Commercial applications 
		GLASS THICKNESS: 10-12mm					
YALE ALUMINIUM / TIMBER STRIKE PLATE 	301485	178x34mm	SILVER PEARL	ALUM	STRIKE PLATE	PIVOT DOOR COMPONENT	Keyless Access Solutions Residential and Commercial applications 
		GLASS THICKNESS: 10-12mm	ON REQUEST: POWDERCOAT				

NOTE: Digital Lock is ordered on request only.

HARDWARE OPTIONS

Yale SmartTouch – Digital Locking System



The YALE SmartTouch is a touch screen digital lock for frameless glass doors and entrances.

Design of the YALE SmartTouch has a sleek flush design which can be fitted to 10 and 12mm frameless glass doors and side panels without the need for holes and notches in the glass. It uses a bonded wrap around design which means it can be retrofitted to existing doors, with a minimum 3mm clearance gap.

Key Features

- ▶ Residential and commercial applications
- ▶ Waterproof external keypad for external use
- ▶ Keypad activated by three point touch
- ▶ 6 to 12 digit entry code, which can be scrambled for security
- ▶ Supplied with 4 touch cards (extras available)
- ▶ Remote module option available (Operating range up to 30 metres)
- ▶ Automatic lock or manual lock setting available
- ▶ Battery operated (4 x AA)
- ▶ Use on 10 or 12 mm single or double action glass doors
- ▶ Use with glass side panels or solid jambs
- ▶ No holes or notches required in glass
- ▶ Fits existing doors with minimum 3mm clearance
- ▶ Fitted with high bond tape

Material & Finish

- ▶ The YALE SmartTouch has a sleek black and silver finish and the key pad appears on the mirror screen when touched

System Types

The YALE SmartTouch model and is available in following options

- ▶ Digital Lock Glass Keeper
- ▶ Digital Lock Timber Keeper

Support Inquiries

- ▶ Metro Technical phone (09) 927 3000 or email technical@metroglass.co.nz

HARDWARE OPTIONS

Schlage S-260 Glass Door Lock For Pivot Doors (Electronic Lockset)



The New Schlage S-260 Glass Door Lock requires no drilling or connection to mains power, is easy to install and programs in minutes, with a number of patented user features to make it simple and secure. This unique glass door lock is non-handed, with the keypad automatically flipping according to the handing. Installation is as easy as removing the backing strip, sticking the bracket to glass and sliding the lock body on. Perfect for use on frameless glass doors, with an optional strike for those in glass frames or double doors. The battery operated lock can be operated with cards, fob's or the keypad.

Key Features

- ▶ Exceptional convenience
- ▶ Access your office or business by PIN code, card or fob
- ▶ Keypad protection system Illuminated numeric keypad
- ▶ Volume and mute controls
- ▶ No wiring needed
- ▶ No drilling required
- ▶ Enhanced security
- ▶ Anti-theft system plus a built-in alarm senses potential door attacks
- ▶ Two deadbolts Peace of mind
- ▶ Two year guarantee
- ▶ Non handed automatic sensor
- ▶ Tool-free installation

Material & Finish

- ▶ Black the key pad appears on the mirror screen when touched

Specifications

- ▶ Door thickness 12mm glass door
- ▶ Batteries Requires 4 x AA Alkaline batteries
- ▶ No glass cut-outs are required

Support Inquiries

- ▶ Metro Technical phone (09) 927 3000 or email technical@metroglass.co.nz

HARDWARE OPTIONS

Schlage S-260 Glass Door Lock For Pivot Doors (Electronic Lockset)



Product	Model	Sizes mm	Finish	Material	Type	Application	Area
SCHLAGE S-260H FRAMELESS GLASS STRIKE (DIGITAL TOUCH - GLASS TO GLASS KEEPER) 	302236	165 H x 75 W x 20 D mm	BLACK	N/A	DIGITAL DOOR LOCK*	PIVOT DOOR	Keyless Access Solutions Residential and Commercial applications 
		GLASS THICKNESS: 12mm			*Mechanical Digital Door Lockset (Glass to Glass) or (Glass to Solid Jamb).		
SCHLAGE S-260S SINGLE DOOR STRIKE PLATE (DIGITAL TOUCH - STRIKE) 	302237	161 H x 35.2 W x 17 D mm	BLACK	N/A	DIGITAL DOOR LOCK*	PIVOT DOOR STRIKE	Keyless Access Solutions Residential and Commercial applications 
		GLASS THICKNESS: 12mm			*Mechanical Digital Door Lockset Keeper (Glass to Glass).		
SCHLAGE S-260T HINGED GLASS DOOR 12MM GLASS THICKNESS (DIGITAL TOUCH) 	302235	160 x 30mm	STEEL	ALUM	STRIKE PLATE	PIVOT DOOR COMPONENT	Keyless Access Solutions Residential and Commercial applications 
			ON REQUEST: POWDERCOAT				

NOTE: Digital Lock is ordered on request only.