

## COMMERCIAL DOOR GLASS ORDER SHEETS INDEX

## ABBREVIATIONS

|            |                    |
|------------|--------------------|
| <b>ARR</b> | Arrissed           |
| <b>FG</b>  | Flat Grind         |
| <b>FP</b>  | Flat Polished Edge |

## HEAVY WEIGHT GLASS ORDER SHEET INDEX

| Section No. | Panel Description  |
|-------------|--|
| <b>2.21</b> | AGA Slystack/Bi-Fold   |
| <b>2.22</b> | Austvision SpiderDoor System   |
| <b>2.23</b> | Austvision Slydstak & Bi-Folding Door System                           |
| <b>2.24</b> | Ozone FH 100 – Non Locking   |
| <b>2.25</b> | Ozone FH 100 – Bottom Locking  |
| <b>2.26</b> | Ozone FH 100 – Side Locking  |
| <b>2.27</b> | Ozone FH 100 – Bottom/Side Locking                                     |
| <b>2.28</b> | Ozone FH 105 – Non Locking   |
| <b>2.29</b> | Ozone FH 105 – Bottom Locking  |
| <b>2.30</b> | Ozone FH 105 – Side Locking  |
| <b>2.31</b> | Ozone FH 105 – Bottom/Side Locking                                     |
| <b>2.32</b> | GG150 Glass Glide Sliding Door – Door Panel                            |
| <b>2.33</b> | Linear 153 Sliding Door System – Door Panel                            |
| <b>2.34</b> | Linear 100 Sliding Door System – Door Panel                            |
| <b>2.35</b> | Metro MF75 Bi-Folding Sliding Door System – Jamb Pivot Panel           |
| <b>2.36</b> | Metro MF75 Bi-Folding Sliding Door System – Intermediate Panel         |
| <b>2.37</b> | Metro MF75 Bi-Folding Sliding Door System – Lead Panel Even Door Set   |
| <b>2.38</b> | Metro MF75 Bi-Folding Sliding Door System – Lead Panel Uneven Door Set |
| <b>2.39</b> | Patch Fitting Pivot Door – Non Locking                                 |
| <b>2.40</b> | Patch Fitting Pivot Door – Bottom Locking                              |
| <b>2.41</b> | Patch Fitting Pivot Door – Side Locking                                |
| <b>2.42</b> | Patch Fitting Pivot Door – Bottom/Side Locking                         |
| <b>2.43</b> | Patch Fitting Pivot Door   |
| <b>2.44</b> | Patch Fitting Pivot Door   |
| <b>2.45</b> | Over Panel – x 1 Top Patch   |
| <b>2.46</b> | Over Panel – x 2 Top Patch   |
| <b>2.47</b> | Over Panel – x 1 Top Patch + MP61                                      |
| <b>2.48</b> | Side Panel – For Over Panel  |
| <b>2.49</b> | Side Panel – For Over Panel Locking                                    |
| <b>2.50</b> | Side Panel – Side Locking  |
| <b>2.51</b> | Side Panel – Square/Rectangular  |
| <b>2.52</b> | Side Panel Blank – Bottom Raking Left                                  |
| <b>2.53</b> | Side Panel Blank – Bottom Raking Right                                 |
| <b>2.54</b> | Side Panel Blank – Top Raking Left                                     |
| <b>2.55</b> | Side Panel Blank – Top Raking Right                                    |
| <b>2.56</b> | Side Panel Blank – 3 Edge Raking                                       |

## AGA SLYSTACK/BI-FOLD

2.21

## Rail Panel

Customer Name

Order Number

Date Ordered \_\_\_\_/\_\_\_\_/\_\_\_\_

\_\_\_\_mm Glass Thickness

Stamp on bottom edge - marked 'X'

Optional fixing holes at bottom edge only if bottom rail requires permanent fixing.

Edges as marked 'FP'

Please list special instructions below


Please fill in your dimensions (mm)

## Glass Finishing Key:

ARR: ARRISSED

FG: FLAT GRIND

FP: FLAT POLISHED



## Metro Performance Glass Office Use

Delivery Date

EDI No. \_\_\_\_\_ Diagram Reference No: 2.21

\_\_\_\_/\_\_\_\_/\_\_\_\_

## AUSTVISION SPIDERDOOR SYSTEM

2.22

## Spider Panel

Customer Name

Order Number

Date Ordered \_\_\_\_/\_\_\_\_/\_\_\_\_

\_\_\_\_mm Glass Thickness


Stamp on bottom edge - marked 'X'

Optional fixing holes at bottom edge only if bottom rail requires permanent fixing.

Edges as marked 'FP'

Please list special instructions below

Please fill in your dimensions (mm)




## Glass Finishing Key:

ARR: ARRISSED

FG: FLAT GRIND

FP: FLAT POLISHED



Metro Performance Glass Office Use

Delivery Date

EDI No. \_\_\_\_\_ Diagram Reference No: 2.22

\_\_\_\_/\_\_\_\_/\_\_\_\_

## GLASS PREPARATION

## AUSTVISION SLYDSTAK &amp; BI-FOLDING DOOR SYSTEM 2.23

## Spider Panel

Customer Name

Order Number

Date Ordered \_\_\_\_/\_\_\_\_/\_\_\_\_

\_\_\_\_mm Glass Thickness


Stamp on bottom edge - marked 'X'

Optional fixing holes at bottom edge only if bottom rail requires permanent fixing.

Edges as marked 'FP'

Please list special instructions below

Please fill in your dimensions (mm)



## Glass Finishing Key:


ARR: ARRISSED

FG: FLAT GRIND

FP: FLAT POLISHED

FP

FP



## Metro Performance Glass Office Use

Delivery Date

EDI No. \_\_\_\_\_ Diagram Reference No: 2.23

\_\_\_\_/\_\_\_\_/\_\_\_\_

## OZONE FH 100

2.24

## Non Locking

Customer Name

Order Number

Date Ordered \_\_\_\_/\_\_\_\_/\_\_\_\_

\_\_\_\_mm Glass Thickness

Stamp on bottom edge - marked 'X'

1 x MP20 Cutout

1 x FH 100 Cutout

Edges as marked 'FP'

Please list special instructions below


Please fill in your dimensions (mm)

## Glass Finishing Key:

ARR: ARRISSED

FG: FLAT GRIND

FP: FLAT POLISHED



## Metro Performance Glass Office Use

Delivery Date

EDI No. \_\_\_\_\_ Diagram Reference No: 2.24

\_\_\_\_/\_\_\_\_/\_\_\_\_

## GLASS PREPARATION

## OZONE FH 100

2.25

## Bottom Locking

Customer Name

Order Number

Date Ordered \_\_\_\_/\_\_\_\_/\_\_\_\_

\_\_\_\_mm Glass Thickness

Stamp on bottom edge - marked 'X'

1 x MP20 Cutout

1 x FH 100 Cutout

1 x MP 100 Cutout

Edges as marked 'FP'

Please list special instructions below


Please fill in your dimensions (mm)

## Glass Finishing Key:

ARR: ARRISSED

FG: FLAT GRIND

FP: FLAT POLISHED



## Metro Performance Glass Office Use

Delivery Date

EDI No. \_\_\_\_\_ Diagram Reference No: 2.25

\_\_\_\_/\_\_\_\_/\_\_\_\_

## GLASS PREPARATION

## OZONE FH 100

2.26

## Side Locking

Customer Name

Order Number

Date Ordered \_\_\_\_/\_\_\_\_/\_\_\_\_

\_\_\_\_mm Glass Thickness

Stamp on bottom edge - marked 'X'

1 x MP20 Cutout

1 x FH 100 Cutout

1 x MP 200/220 Cutout

Edges as marked 'FP'

## Please list special instructions below


Please fill in your dimensions (mm)

## Glass Finishing Key:

ARR: ARRISSED

FG: FLAT GRIND

FP: FLAT POLISHED



## Metro Performance Glass Office Use

Delivery Date

EDI No. \_\_\_\_\_ Diagram Reference **No: 2.26**

\_\_\_\_/\_\_\_\_/\_\_\_\_

## GLASS PREPARATION

## OZONE FH 100

2.27

## Bottom/Side Locking

Customer Name

Order Number

Date Ordered \_\_\_\_/\_\_\_\_/\_\_\_\_

\_\_\_\_mm Glass Thickness

Stamp on bottom edge - marked 'X'

1 x MP20 Cutout

1 x FH 100 Cutout

1 x MP 100 Cutout

1 x MP 200/220 Cutout

Edges as marked 'FP'

Please list special instructions below


Please fill in your dimensions (mm)

## Glass Finishing Key:

ARR: ARRISSED

FG: FLAT GRIND

FP: FLAT POLISHED



## Metro Performance Glass Office Use

Delivery Date

EDI No. \_\_\_\_\_ Diagram Reference No: 2.27

\_\_\_\_/\_\_\_\_/\_\_\_\_



## GLASS PREPARATION

## OZONE FH 105

2.28

## Non Locking

Customer Name

Order Number

Date Ordered \_\_\_\_/\_\_\_\_/\_\_\_\_

\_\_\_\_mm Glass Thickness

Stamp on bottom edge - marked 'X'

1 x MP20 Cutout

1 x FH 105 Cutout

Edges as marked 'FP'

Please list special instructions below


Please fill in your dimensions (mm)

## Glass Finishing Key:

ARR: ARRISSED

FG: FLAT GRIND

FP: FLAT POLISHED



## Metro Performance Glass Office Use

Delivery Date

EDI No. \_\_\_\_\_ Diagram Reference No: 2.28

\_\_\_\_/\_\_\_\_/\_\_\_\_

## GLASS PREPARATION

## OZONE FH 105

2.29

## Bottom Locking

Customer Name

Order Number

Date Ordered \_\_\_\_/\_\_\_\_/\_\_\_\_

\_\_\_\_mm Glass Thickness

Stamp on bottom edge - marked 'X'

1 x MP20 Cutout


1 x FH 105 Cutout

1 x MP 100 Cutout

Edges as marked 'FP'

Please list special instructions below

Please fill in your dimensions (mm)



## Glass Finishing Key:

ARR: ARRISSED

FG: FLAT GRIND

FP: FLAT POLISHED

## Metro Performance Glass Office Use

Delivery Date

EDI No. \_\_\_\_\_ Diagram Reference No: 2.29

\_\_\_\_/\_\_\_\_/\_\_\_\_

## GLASS PREPARATION

## OZONE FH 105

2.30

## Side Locking

Customer Name

Order Number

Date Ordered \_\_\_\_/\_\_\_\_/\_\_\_\_

\_\_\_\_mm Glass Thickness

Stamp on bottom edge - marked 'X'

1 x MP20 Cutout

1 x FH 105 Cutout

1 x MP 200/220 Cutout

Edges as marked 'FP'

## Please list special instructions below


Please fill in your dimensions (mm)

## Glass Finishing Key:

ARR: ARRISSED

FG: FLAT GRIND

FP: FLAT POLISHED



## Metro Performance Glass Office Use

Delivery Date

EDI No. \_\_\_\_\_ Diagram Reference No: 2.30

\_\_\_\_/\_\_\_\_/\_\_\_\_

## GLASS PREPARATION

## OZONE FH 105

2.31

## Bottom/Side Locking

Customer Name

Order Number

Date Ordered \_\_\_\_/\_\_\_\_/\_\_\_\_

\_\_\_\_mm Glass Thickness

Stamp on bottom edge - marked 'X'

1 x MP20 Cutout

1 x FH 105 Cutout

1 x MP 100 Cutout

1 x MP 200/220 Cutout

Edges as marked 'FP'


Please list special  
instructions belowPlease fill in your  
dimensions (mm)

## Glass Finishing Key:

ARR: ARRISSED

FG: FLAT GRIND

FP: FLAT POLISHED



## Metro Performance Glass Office Use

Delivery Date

EDI No. \_\_\_\_\_ Diagram Reference No: 2.31

\_\_\_\_/\_\_\_\_/\_\_\_\_

## GLASS PREPARATION

## GG150 GLASS GLIDE SLIDING DOOR

2.32

## Door Panel

Customer Name

Order Number

Date Ordered \_\_\_\_/\_\_\_\_/\_\_\_\_

\_\_\_\_mm Glass Thickness

Stamp on bottom edge - marked 'X'  
Optional fixing holes for toughened  
laminates (less than 12m t).

Edges as marked 'FP' &amp; 'FG'

Please list special  
instructions below


Please fill in your  
dimensions (mm)

## Glass Finishing Key:

ARR: ARRISSED

FG: FLAT GRIND

FP: FLAT POLISHED



Metro Performance Glass Office Use

Delivery Date

EDI No. \_\_\_\_\_ Diagram Reference No: 2.32

\_\_\_\_/\_\_\_\_/\_\_\_\_

## GLASS PREPARATION

## LINEAR 153 SLIDING DOOR SYSTEM

2.33

## Door Panel

Customer Name

Order Number

Date Ordered \_\_\_\_/\_\_\_\_/\_\_\_\_

\_\_\_\_mm Glass Thickness

Stamp on bottom edge - marked 'X'  
 $\phi 70$ mm cutout can move from  
 150mm – 1/8 door width, maximum.

Edges as marked 'FP' &amp; 'FG'

Please list special  
 instructions below


Please fill in your  
dimensions (mm)

## Glass Finishing Key:

ARR: ARRISSED

FG: FLAT GRIND

FP: FLAT POLISHED



## Metro Performance Glass Office Use

Delivery Date

EDI No. \_\_\_\_\_ Diagram Reference No: 2.33

\_\_\_\_/\_\_\_\_/\_\_\_\_

## LINEAR 100 SLIDING DOOR SYSTEM

2.34

## Door Panel

Customer Name

Order Number

Date Ordered \_\_\_\_/\_\_\_\_/\_\_\_\_

\_\_\_\_mm Glass Thickness

Stamp on bottom edge - marked 'X'  
 Ø70mm cutout can move from  
 150mm – 1/8 door width, maximum.

Edges as marked 'FP' &amp; 'FG'

Please list special  
 instructions below


Please fill in your  
dimensions (mm)

## Glass Finishing Key:

ARR: ARRISSED

FG: FLAT GRIND

FP: FLAT POLISHED



## Metro Performance Glass Office Use

Delivery Date

EDI No. \_\_\_\_\_ Diagram Reference No: 2.34

\_\_\_\_/\_\_\_\_/\_\_\_\_

## GLASS PREPARATION

## METRO MF75 BI-FOLDING SLIDING DOOR SYSTEM 2.35

## Jamb Pivot Panel

Customer Name

Order Number

Date Ordered \_\_\_\_/\_\_\_\_/\_\_\_\_

\_\_\_\_mm Glass Thickness

Refer to M75 Bi-Fold door -  
Typical dimension key for maximum  
door size calculations.

Edges as marked 'FP'


**Please list special  
instructions below**

Please fill in your  
dimensions (mm)**Glass Finishing Key:**

ARR: ARRISSED

FG: FLAT GRIND

FP: FLAT POLISHED

**Metro Performance Glass Office Use**

Delivery Date

EDI No. \_\_\_\_\_ Diagram Reference **No: 2.35**

\_\_\_\_/\_\_\_\_/\_\_\_\_



## METRO MF75 BI-FOLDING SLIDING DOOR SYSTEM 2.36

## Intermediate Panel

Customer Name

Order Number

Date Ordered \_\_\_\_/\_\_\_\_/\_\_\_\_

\_\_\_\_mm Glass Thickness

Refer to M75 Bi-Fold door -  
Typical dimension key for maximum  
door size calculations.

Edges as marked 'FP'


**Please list special  
instructions below**

Please fill in your  
dimensions (mm)**Glass Finishing Key:**

ARR: ARRISSED

FG: FLAT GRIND

FP: FLAT POLISHED

**Metro Performance Glass Office Use**

Delivery Date

EDI No. \_\_\_\_\_ Diagram Reference **No: 2.36**

\_\_\_\_/\_\_\_\_/\_\_\_\_

## GLASS PREPARATION

## METRO MF75 BI-FOLDING SLIDING DOOR SYSTEM 2.37

## Lead Panel – Even Door Set

Customer Name

Order Number

Date Ordered \_\_\_\_/\_\_\_\_/\_\_\_\_

\_\_\_\_mm Glass Thickness

Refer to M75 Bi-Fold door –  
Typical dimension key for maximum  
door size calculations.

Edges as marked 'FP'


**Please list special  
instructions below**

Please fill in your  
dimensions (mm)**Glass Finishing Key:**

ARR: ARRISSED

FG: FLAT GRIND

FP: FLAT POLISHED

**Metro Performance Glass Office Use**

Delivery Date

EDI No. \_\_\_\_\_ Diagram Reference **No: 2.37**

\_\_\_\_/\_\_\_\_/\_\_\_\_

## METRO MF75 BI-FOLDING SLIDING DOOR SYSTEM 2.38

## Lead Panel – Uneven Door Set

Customer Name Order Number 

Date Ordered \_\_\_\_/\_\_\_\_/\_\_\_\_

\_\_\_\_mm Glass Thickness

Refer to M75 Bi-Fold door –  
Typical dimension key for maximum  
door size calculations.

Edges as marked 'FP'

**Please list special  
instructions below**




Please fill in your  
dimensions (mm)

**Glass Finishing Key:**

ARR: ARRISSED

FG: FLAT GRIND

FP: FLAT POLISHED

**Metro Performance Glass Office Use**

Delivery Date

EDI No. \_\_\_\_\_ Diagram Reference **No: 2.38**

\_\_\_\_/\_\_\_\_/\_\_\_\_

## GLASS PREPARATION

## PATCH FITTING PIVOT DOOR

2.39

## Non Locking

Customer Name

Order Number

Date Ordered \_\_\_\_/\_\_\_\_/\_\_\_\_

\_\_\_\_mm Glass Thickness

Stamp on bottom edge - marked 'X'

1 x MP20 Cutout

1 x MP10 Cutout

Edges as marked 'FP'

Please list special instructions below


Please fill in your dimensions (mm)

## Glass Finishing Key:

ARR: ARRISSED

FG: FLAT GRIND

FP: FLAT POLISHED



## Metro Performance Glass Office Use

Delivery Date

EDI No. \_\_\_\_\_ Diagram Reference No: 2.39

\_\_\_\_/\_\_\_\_/\_\_\_\_

## PATCH FITTING PIVOT DOOR

2.40

## Bottom Locking

Customer Name

Order Number

Date Ordered \_\_\_\_/\_\_\_\_/\_\_\_\_

\_\_\_\_mm Glass Thickness

Stamp on bottom edge - marked 'X'

1 x MP20 Cutout

1 x MP10 Cutout

1 x MP100 Cutout

Edges as marked 'FP'

Please list special instructions below


Please fill in your dimensions (mm)

## Glass Finishing Key:

ARR: ARRISSED

FG: FLAT GRIND

FP: FLAT POLISHED



## Metro Performance Glass Office Use

Delivery Date

EDI No. \_\_\_\_\_ Diagram Reference **No: 2.40**

\_\_\_\_/\_\_\_\_/\_\_\_\_

## GLASS PREPARATION

## PATCH FITTING PIVOT DOOR

2.41

## Side Locking

Customer Name

Order Number

Date Ordered \_\_\_\_/\_\_\_\_/\_\_\_\_

\_\_\_\_mm Glass Thickness

Stamp on bottom edge - marked 'X'

1 x MP20 Cutout

1 x MP10 Cutout

1 x MP 200/220 Cutout

Edges as marked 'FP'

Please list special instructions below


Please fill in your dimensions (mm)

## Glass Finishing Key:

ARR: ARRISSED

FG: FLAT GRIND

FP: FLAT POLISHED



## Metro Performance Glass Office Use

Delivery Date

EDI No. \_\_\_\_\_ Diagram Reference **No: 2.41**

\_\_\_\_/\_\_\_\_/\_\_\_\_

## PATCH FITTING PIVOT DOOR

2.42

## Bottom/Side Locking

Customer Name

Order Number

Date Ordered \_\_\_\_/\_\_\_\_/\_\_\_\_

\_\_\_\_mm Glass Thickness

Stamp on bottom edge - marked 'X'

1 x MP20 Cutout

1 x MP10 Cutout

1 x MP100 Cutout

1 x MP 200/220 Cutout

Edges as marked 'FP'

Please list special instructions below


Please fill in your dimensions (mm)

## Glass Finishing Key:

ARR: ARRISSED

FG: FLAT GRIND

FP: FLAT POLISHED



## Metro Performance Glass Office Use

Delivery Date

EDI No. \_\_\_\_\_ Diagram Reference No: 2.42


\_\_\_\_/\_\_\_\_/\_\_\_\_

## GLASS PREPARATION


## PATCH FITTING PIVOT

2.43


Horizontal dimensions made for typical 3mm gap between door and side panel/ supporting structure. Adjust to suit for varying gap if required.



**MP34** – Top Patch OP/Wall Mounted  
Glass Cutout Details



**MP40** – Top OP – SP Patch  
Glass Cutout Details



**MP41** – Fin Patch  
Glass Cutout Details

### Glass Finishing Key:



|      |               |
|------|---------------|
| ARR: | ARRISSED      |
| FG:  | FLAT GRIND    |
| FP:  | FLAT POLISHED |




## PATCH FITTING PIVOT

2.44

Horizontal dimensions made for typical 3mm gap between door and side panel/  
supporting structure. Adjust to suit for varying gap if required.

**Glass Finishing Key:**

ARR: ARRISSED  
FG: FLAT GRIND  
FP: FLAT POLISHED



## GLASS PREPARATION

## OVER PANEL

2.45

## 1 x Top Patch

Customer Name

Order Number

Date Ordered \_\_\_\_/\_\_\_\_/\_\_\_\_

\_\_\_\_mm Glass Thickness


Stamp on bottom edge - marked 'X'

Flat polish 1 x Long Edge.

2 x MP34/40/41 cutout.

Edges as marked 'FG'

**Please list special  
instructions below**

Please fill in your  
dimensions (mm)**Glass Finishing Key:**

ARR: ARRISSED

FG: FLAT GRIND

FP: FLAT POLISHED

**Metro Performance Glass Office Use**

Delivery Date

EDI No. \_\_\_\_\_ Diagram Reference **No: 2.45**

\_\_\_\_/\_\_\_\_/\_\_\_\_

## OVER PANEL

2.46

## 2 x Top Patch

Customer Name

Order Number

Date Ordered \_\_\_\_ / \_\_\_\_ / \_\_\_\_


\_\_\_\_ mm Glass Thickness

Stamp on bottom edge - marked 'X'

Flat polish 1 x Long Edge.

2 x MP34/40/41 cutout

Edges as marked 'FG'

Please list special  
instructions belowPlease fill in your  
dimensions (mm)

## Glass Finishing Key:

ARR: ARRISSED

FG: FLAT GRIND

FP: FLAT POLISHED

## Metro Performance Glass Office Use

Delivery Date

EDI No. \_\_\_\_\_ Diagram Reference No: 2.46

\_\_\_\_ / \_\_\_\_ / \_\_\_\_

## GLASS PREPARATION

## OVER PANEL

2.47

## 1 x Top Patch + MP61

Customer Name

Order Number

Date Ordered \_\_\_\_/\_\_\_\_/\_\_\_\_

\_\_\_\_mm Glass Thickness

Stamp on bottom edge - marked 'X'


Flat polish 1 x Long Edge.

2 x MP34/40/41 cutout

1 x MP61 cutout

Edges as marked 'FG'

**Please list special  
instructions below**

Please fill in your  
dimensions (mm)**Glass Finishing Key:**

ARR: ARRISSED

FG: FLAT GRIND

FP: FLAT POLISHED

**Metro Performance Glass Office Use**

Delivery Date

EDI No. \_\_\_\_\_ Diagram Reference **No: 2.47**

\_\_\_\_/\_\_\_\_/\_\_\_\_

## SIDE PANEL

2.48

## For Over Panel

Customer Name

Order Number

Date Ordered \_\_\_\_/\_\_\_\_/\_\_\_\_

\_\_\_\_mm Glass Thickness

Stamp on bottom edge - marked 'X'

Flat polish 1 x Long Edge.

(F.P. second long edge if butt jointing to second panel)

1 x MP40/41 cutout

Edges as marked 'FP' &amp; 'FG'

Please list special instructions below


Please fill in your dimensions (mm)

## Glass Finishing Key:

ARR: ARRISSED

FG: FLAT GRIND

FP: FLAT POLISHED



Metro Performance Glass Office Use

Delivery Date

EDI No. \_\_\_\_\_ Diagram Reference No: 2.48

\_\_\_\_/\_\_\_\_/\_\_\_\_

## GLASS PREPARATION

## SIDE PANEL

2.49

## For Over Panel – Locking

Customer Name

Order Number

Date Ordered \_\_\_\_/\_\_\_\_/\_\_\_\_

\_\_\_\_mm Glass Thickness

Stamp on bottom edge - marked 'X'

Flat polish 1 x Long Edge.

(F.P. second long edge if butt jointing to second panel)

1 x MP40/41 cutout

1 x MP200/220 cutout

Edges as marked 'FP' &amp; 'FG'

## Please list special instructions below


Please fill in your dimensions (mm)

## Glass Finishing Key:

ARR: ARRISSED

FG: FLAT GRIND

FP: FLAT POLISHED



## Metro Performance Glass Office Use

Delivery Date

EDI No. \_\_\_\_\_ Diagram Reference No: 2.49

\_\_\_\_/\_\_\_\_/\_\_\_\_

## SIDE PANEL

2.50

## Side Locking

Customer Name

Order Number

Date Ordered \_\_\_\_ / \_\_\_\_ / \_\_\_\_

\_\_\_\_ mm Glass Thickness

Stamp on bottom edge - marked 'X'

Flat polish 1 x Long Edge.

(F.P. second long edge if butt jointing to second panel)

1 x MP200/220 cutout

Edges as marked 'FP' &amp; 'FG'

**Please list special instructions below**


Please fill in your dimensions (mm)

**Glass Finishing Key:**

ARR: ARRISSED

FG: FLAT GRIND

FP: FLAT POLISHED

**Metro Performance Glass Office Use**

Delivery Date

EDI No. \_\_\_\_\_ Diagram Reference **No: 2.50**

\_\_\_\_ / \_\_\_\_ / \_\_\_\_

## GLASS PREPARATION

## SIDE PANEL

2.51

## Square/Rectangular

Customer Name

Order Number

Date Ordered \_\_\_\_/\_\_\_\_/\_\_\_\_


\_\_\_\_mm Glass Thickness

Stamp on bottom edge - marked 'X'

Flat polish 1 x Long Edge.

Edges as marked 'FP' &amp; 'FG'

**Please list special  
instructions below**

Please fill in your  
dimensions (mm)**Glass Finishing Key:**

ARR: ARRISSED

FG: FLAT GRIND

FP: FLAT POLISHED

**Metro Performance Glass Office Use**

Delivery Date

EDI No. \_\_\_\_\_ Diagram Reference **No: 2.51**

\_\_\_\_/\_\_\_\_/\_\_\_\_



Order Number

\_\_\_\_\_mm Glass Thickness


(F.P. second long edge if butt jointing to second panel)

Edges as marked 'FP' & 'FG'

**Please list special instructions below**



**Please fill in your  
dimensions (mm)**



### Glass Finishing Key:

FP: FLAT POLISHED

**Metro Performance Glass Office Use**

Delivery Date

EDI No. \_\_\_\_\_ Diagram Reference **No: 2.52**

\_\_\_\_/\_\_\_\_/\_\_\_\_

## GLASS PREPARATION

## SIDE PANEL – BLANK

2.53

## Bottom Raking – Right

Customer Name

Order Number

Date Ordered \_\_\_\_/\_\_\_\_/\_\_\_\_


\_\_\_\_mm Glass Thickness

Stamp on bottom edge - marked 'X'

Flat polish 1 x Long Edge.

Edges as marked 'FP' &amp; 'FG'

**Please list special  
instructions below**

Please fill in your  
dimensions (mm)**Glass Finishing Key:**

ARR: ARRISSED

FG: FLAT GRIND

FP: FLAT POLISHED

**Metro Performance Glass Office Use**

Delivery Date

EDI No. \_\_\_\_\_ Diagram Reference **No: 2.53**

\_\_\_\_/\_\_\_\_/\_\_\_\_

## SIDE PANEL – BLANK

2.54

## Top Raking – Left

Customer Name

Order Number

Date Ordered \_\_\_\_ / \_\_\_\_ / \_\_\_\_


\_\_\_\_ mm Glass Thickness

Stamp on bottom edge - marked 'X'

Flat polish 1 x Long Edge.

Edges as marked 'FP' &amp; 'FG'

**Please list special  
instructions below**

Please fill in your  
dimensions (mm)**Glass Finishing Key:**

ARR: ARRISSED

FG: FLAT GRIND

FP: FLAT POLISHED

**Metro Performance Glass Office Use**

Delivery Date

EDI No. \_\_\_\_\_ Diagram Reference **No: 2.54**

\_\_\_\_ / \_\_\_\_ / \_\_\_\_

## GLASS PREPARATION

## SIDE PANEL – BLANK

2.55

## Top Raking – Right

Customer Name

Order Number


Date Ordered \_\_\_\_ / \_\_\_\_ / \_\_\_\_

\_\_\_\_ mm Glass Thickness

Stamp on bottom edge - marked 'X'

Flat polish 1 x Long Edge.

Edges as marked 'FP' &amp; 'FG'

Please list special  
instructions below Please fill in your  
dimensions (mm)

## Glass Finishing Key:

ARR: ARRISSED

FG: FLAT GRIND

FP: FLAT POLISHED

## Metro Performance Glass Office Use

Delivery Date

EDI No. \_\_\_\_\_ Diagram Reference No: 2.55

\_\_\_\_ / \_\_\_\_ / \_\_\_\_

## SIDE PANEL – BLANK

2.56

## 3 Edge Raking

Customer Name

Order Number



Date Ordered \_\_\_\_ / \_\_\_\_ / \_\_\_\_

\_\_\_\_ mm Glass Thickness

Stamp on bottom edge - marked 'X'

Flat polish 1 x Long Edge.  
(F.P. second long edge if butt  
jointing to second panel)

Edges as marked 'FP' &amp; 'FG'

**Please list special  
instructions below**
 Please fill in your  
dimensions (mm)
**Glass Finishing Key:**

ARR: ARRISSED

FG: FLAT GRIND

FP: FLAT POLISHED

**Metro Performance Glass Office Use**

Delivery Date

EDI No. \_\_\_\_\_ Diagram Reference **No: 2.56**

\_\_\_\_ / \_\_\_\_ / \_\_\_\_